

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW110521\
 Data File : VW023235.D
 Acq On : 05 Nov 2021 16:23
 Operator : SY/MD
 Sample : M4535-01
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 H4572

Manual Integrations
 APPROVED

Reviewed By : John Carlone 11/10/2021
 Supervised By : Mahesh Dadoda 11/10/2021

Quant Time: Nov 09 03:15:30 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR110421WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Nov 09 02:04:24 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	130674	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	133874	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	61486	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	38077	4.651	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	93.000%	
7) Chloroethane-d5	1.568	69	32140	4.817	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	96.400%	
11) 1,1-Dichloroethene-d2	2.108	63	54631	3.565	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	71.200%	
20) 2-Butanone-d5	3.908	46	67509m	47.867	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	95.740%	
24) Chloroform-d	4.349	84	82798	4.746	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	95.000%	
26) 1,2-Dichloroethane-d4	5.037	65	40421	5.152	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	103.000%	
32) Benzene-d6	5.053	84	160662	4.677	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	93.600%	
36) 1,2-Dichloropropane-d6	6.072	67	50000	4.945	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	98.800%	
41) Toluene-d8	7.316	98	137804	4.281	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	85.600%	
43) trans-1,3-Dichloroprop...	7.628	79	16430	4.285	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	85.800%	
46) 2-Hexanone-d5	8.091	63	56536	40.077	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	80.160%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	31088	4.275	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	85.600%	
66) 1,2-Dichlorobenzene-d4	11.625	152	52334	5.112	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	102.200%	
Target Compounds					Qvalue	
13) Acetone	2.195	43	5266m	6.111	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110521\
Data File : VV023235.D
Acq On : 05 Nov 2021 16:23
Operator : SY/MD
Sample : M4535-01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 18 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
H4572

Manual Integrations
APPROVED

Reviewed By : John Carlone 11/10/2021
Supervised By : Mahesh Dadoda 11/10/2021


Quant Time: Nov 09 03:15:30 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR110421WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Nov 09 02:04:24 2021
Response via : Initial Calibration





#13
 Acetone
 Concen: 6.111 ug/L m
 RT: 2.195 min Scan# 3
 Delta R.T. -0.000 min
 Lab File: VV023235.D
 Acq: 05 Nov 2021 16:23

Instrument :
 MSVOA_V
 ClientSampleId :
 H4572



Tgt Ion: 43 Resp: 526
 Ion Ratio Lower Upper
 43 100
 58 6.3 0.0 55.4

Manual Integrations
 APPROVED

Reviewed By :John Carlone 11/10/2021
 Supervised By :Mahesh Dadoda 11/10/2021

