

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW110521\
 Data File : VW023257.D
 Acq On : 06 Nov 2021 01:21
 Operator : SY/MD
 Sample : M4535-22
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 H4566

Quant Time: Nov 09 04:28:11 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR110421WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Nov 09 03:48:20 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	129850	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	130543	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	60086	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	37439	4.602	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	92.000%	
7) Chloroethane-d5	1.571	69	33690	5.082	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	101.600%	
11) 1,1-Dichloroethene-d2	2.111	63	53892	3.539	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	70.800%	
20) 2-Butanone-d5	3.892	46	85464	60.983	ug/L	-0.02
Spiked Amount	50.000	Range 40 - 130	Recovery	=	121.960%	
24) Chloroform-d	4.352	84	82992	4.787	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	95.800%	
26) 1,2-Dichloroethane-d4	5.037	65	38906	4.991	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	99.800%	
32) Benzene-d6	5.053	84	158140	4.721	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	94.400%	
36) 1,2-Dichloropropane-d6	6.072	67	48039	4.872	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	97.400%	
41) Toluene-d8	7.320	98	134111	4.273	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	85.400%	
43) trans-1,3-Dichloroprop...	7.625	79	16355	4.374	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	87.400%	
46) 2-Hexanone-d5	8.088	63	60635	44.080	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	88.160%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	31256	4.408	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	88.200%	
66) 1,2-Dichlorobenzene-d4	11.625	152	52904	5.288	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	105.800%	
Target Compounds					Qvalue	
13) Acetone	2.185	43	6497	7.587	ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110521\
Data File : VV023257.D
Acq On : 06 Nov 2021 01:21
Operator : SY/MD
Sample : M4535-22
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 41 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
H4566

Quant Time: Nov 09 04:28:11 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR110421WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Nov 09 03:48:20 2021
Response via : Initial Calibration





#13
 Acetone
 Concen: 7.587 ug/L
 RT: 2.185 min Scan# 31
 Delta R.T. -0.010 min
 Lab File: VV023257.D
 Acq: 06 Nov 2021 01:21

Instrument :
 MSVOA_V
 ClientSampleId :
 H4566

Tgt Ion: 43 Resp: 6497
 Ion Ratio Lower Upper
 43 100
 58 33.5 0.0 55.4

