

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW110723\
 Data File : VW032868.D
 Acq On : 07 Nov 2023 14:41
 Operator : SY/MD
 Sample : 05226-15
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 YCGD3

Quant Time: Nov 08 01:39:50 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103123WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Nov 08 01:37:19 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.539	114	340699	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	384369	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	171631	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.281	65	160158	49.424	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	98.840%	
7) Chloroethane-d5	1.532	69	138885	51.245	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	102.500%	
11) 1,1-Dichloroethene-d2	2.060	65	66002	49.312	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	98.620%	
21) 2-Butanone-d5	3.786	46	146087	103.934	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	103.930%	
24) Chloroform-d	4.252	84	257061	49.699	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	99.400%	
26) 1,2-Dichloroethane-d4	4.944	65	164354	51.126	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	102.260%	
32) Benzene-d6	4.963	84	508621	51.466	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	102.940%	
36) 1,2-Dichloropropane-d6	5.992	67	154578	51.484	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	102.960%	
41) Toluene-d8	7.246	98	481118	49.441	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	98.880%	
43) trans-1,3-Dichloroprop...	7.555	79	76736	49.074	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	98.140%	
47) 2-Hexanone-d5	8.027	63	106691	97.337	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	97.340%	
56) 1,1,2,2-Tetrachloroeth...	10.156	84	226261	49.661	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	99.320%	
66) 1,2-Dichlorobenzene-d4	11.564	152	190561	57.616	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	115.240%	
Target Compounds						
13) Acetone	2.114	43	17224	7.321	ug/L	Qvalue 91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110723\
Data File : VV032868.D
Acq On : 07 Nov 2023 14:41
Operator : SY/MD
Sample : 05226-15
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
YCGD3

Quant Time: Nov 08 01:39:50 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103123WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Nov 08 01:37:19 2023
Response via : Initial Calibration

