

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110723\
 Data File : VV032863.D
 Acq On : 07 Nov 2023 12:44
 Operator : SY/MD
 Sample : 05226-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 YCG45

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103123WMA.M
 Title : VOC Analysis

Signal : TIC: VV032863.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.282	69	75	94	rVB	262249	275317	17.36%	2.260%
2	1.536	147	154	166	rVB	214138	253119	15.96%	2.078%
3	2.063	309	318	333	rBV	428569	614901	38.76%	5.048%
4	2.622	490	492	494	rBV3	1192	519	0.03%	0.004%
5	2.674	505	508	509	rBV3	1066	666	0.04%	0.005%
6	2.716	518	521	523	rBV4	1531	1100	0.07%	0.009%
7	2.770	536	538	542	rBV5	1178	1020	0.06%	0.008%
8	2.905	579	580	582	rBV2	1304	705	0.04%	0.006%
9	2.979	601	603	607	rBV4	1514	951	0.06%	0.008%
10	3.034	616	620	622	rBV4	1711	1395	0.09%	0.011%
11	3.182	664	666	669	rBV4	1587	910	0.06%	0.007%
12	3.269	688	693	695	rBV5	1951	1816	0.11%	0.015%
13	3.298	700	702	704	rBV3	1242	616	0.04%	0.005%
14	3.310	704	706	708	rBV3	1428	819	0.05%	0.007%
15	3.355	719	720	721	rBV	788	164	0.01%	0.001%
16	3.378	723	727	730	rBV6	1638	1409	0.09%	0.012%
17	3.491	760	762	763	rBV	953	327	0.02%	0.003%
18	3.568	782	786	787	rBV4	1449	929	0.06%	0.008%
19	3.581	788	790	794	rVB4	2199	1325	0.08%	0.011%
20	3.606	794	798	800	rBV5	1397	1078	0.07%	0.009%
21	3.622	800	803	806	rBV5	1600	898	0.06%	0.007%
22	3.635	806	807	809	rBV2	712	364	0.02%	0.003%
23	3.667	815	817	818	rBV2	1406	436	0.03%	0.004%
24	3.722	833	834	836	rBV2	650	299	0.02%	0.002%
25	3.786	845	854	882	rBV	79514	219086	13.81%	1.799%
26	4.249	985	998	1018	rBV	253456	643271	40.55%	5.281%
27	4.783	1162	1164	1169	rBV5	1835	1517	0.10%	0.012%
28	4.802	1169	1170	1173	rBV3	1020	648	0.04%	0.005%
29	4.841	1181	1182	1184	rVB2	1774	527	0.03%	0.004%
30	4.857	1184	1187	1189	rBV4	1731	902	0.06%	0.007%
31	4.957	1202	1218	1235	rBV2	599857	1586288	100.00%	13.023%
32	5.535	1386	1398	1412	rBV	398550	816928	51.50%	6.707%
33	5.989	1527	1539	1571	rBV	342342	766462	48.32%	6.293%
34	6.433	1676	1677	1680	rBV3	1337	765	0.05%	0.006%
35	6.497	1695	1697	1699	rBV3	1243	721	0.05%	0.006%
36	6.590	1723	1726	1730	rBV6	1705	1219	0.08%	0.010%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110723\
 Data File : VV032863.D
 Acq On : 07 Nov 2023 12:44
 Operator : SY/MD
 Sample : 05226-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 YCG45

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103123WMA.M
 Title : VOC Analysis

37	6.841	1803	1804	1807	rBV2	1281	643	0.04%	0.005%
38	6.912	1817	1826	1850	rBV	177889	355944	22.44%	2.922%
39	7.243	1918	1929	1954	rBV	728538	1368362	86.26%	11.234%
40	7.555	2017	2026	2051	rBV	129103	242758	15.30%	1.993%
41	8.027	2161	2173	2213	rBV	274575	610180	38.47%	5.009%
42	8.436	2297	2300	2303	rBV5	2149	1649	0.10%	0.014%
43	8.455	2303	2306	2307	rVV3	1845	899	0.06%	0.007%
44	8.477	2311	2313	2316	rBV4	2035	1315	0.08%	0.011%
45	8.606	2350	2353	2355	rBV4	1855	979	0.06%	0.008%
46	8.654	2366	2368	2371	rBV4	1143	752	0.05%	0.006%
47	8.693	2378	2380	2383	rVB4	1437	556	0.04%	0.005%
48	8.786	2396	2409	2439	rBV	699732	1185728	74.75%	9.735%
49	9.214	2539	2542	2544	rBV4	1740	1293	0.08%	0.011%
50	9.368	2587	2590	2593	rBV4	2055	1507	0.10%	0.012%
51	9.426	2603	2608	2613	rBV7	2531	2564	0.16%	0.021%
52	9.686	2686	2689	2691	rBV3	1598	1086	0.07%	0.009%
53	9.786	2719	2720	2722	rBV2	1400	684	0.04%	0.006%
54	9.844	2735	2738	2740	rBV4	1378	925	0.06%	0.008%
55	9.963	2772	2775	2778	rBV5	1483	792	0.05%	0.007%
56	9.982	2778	2781	2784	rVV5	1903	1184	0.07%	0.010%
57	10.043	2798	2800	2805	rVB5	2184	1622	0.10%	0.013%
58	10.066	2805	2807	2812	rBV6	1588	1563	0.10%	0.013%
59	10.104	2814	2819	2821	rBV6	1516	1144	0.07%	0.009%
60	10.153	2821	2834	2854	rBV	492139	783380	49.38%	6.431%
61	10.301	2878	2880	2885	rBV6	1569	1216	0.08%	0.010%
62	10.452	2925	2927	2930	rVB4	1737	827	0.05%	0.007%
63	10.764	3020	3024	3025	rBV3	2248	1214	0.08%	0.010%
64	10.905	3065	3068	3071	rBV4	1480	1004	0.06%	0.008%
65	10.956	3081	3084	3086	rBV4	1248	744	0.05%	0.006%
66	10.973	3087	3089	3093	rVB4	1924	1034	0.07%	0.008%
67	11.046	3110	3112	3115	rBV3	1493	677	0.04%	0.006%
68	11.188	3144	3156	3179	rBV	696353	1095257	69.05%	8.992%
69	11.452	3236	3238	3239	rBV	1268	438	0.03%	0.004%
70	11.561	3261	3272	3292	rBV	823556	1287553	81.17%	10.571%
71	11.940	3388	3390	3392	rBV3	1773	953	0.06%	0.008%
72	11.989	3404	3405	3408	rVB2	1620	520	0.03%	0.004%
73	12.030	3416	3418	3423	rVB6	1440	1272	0.08%	0.010%
74	12.053	3423	3425	3427	rBV2	2074	1152	0.07%	0.009%
75	12.185	3464	3466	3470	rBV5	1060	805	0.05%	0.007%
76	12.413	3535	3537	3543	rVB7	2358	1547	0.10%	0.013%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110723\
 Data File : VV032863.D
 Acq On : 07 Nov 2023 12:44
 Operator : SY/MD
 Sample : 05226-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 YCG45

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103123WMA.M
 Title : VOC Analysis

77	12.545	3575	3578	3579	rBV3	1121	595	0.04%	0.005%
78	12.815	3660	3662	3664	rBV3	1582	828	0.05%	0.007%
79	12.931	3695	3698	3700	rBV3	1357	949	0.06%	0.008%
80	12.979	3709	3713	3716	rBV7	1748	1662	0.10%	0.014%
81	13.040	3730	3732	3734	rBV3	963	492	0.03%	0.004%
82	13.079	3741	3744	3745	rBV3	1265	596	0.04%	0.005%
83	13.288	3806	3809	3812	rBV4	2341	1696	0.11%	0.014%
84	13.320	3817	3819	3823	rBV5	1624	825	0.05%	0.007%
85	13.516	3876	3880	3886	rBV7	2273	2095	0.13%	0.017%
86	13.603	3904	3907	3909	rBV4	1036	755	0.05%	0.006%
87	13.763	3954	3957	3960	rBV5	1672	1296	0.08%	0.011%
88	13.972	4020	4022	4024	rBV3	1035	700	0.04%	0.006%
89	14.001	4029	4031	4034	rBV4	947	519	0.03%	0.004%
90	14.291	4119	4121	4124	rVB3	1829	966	0.06%	0.008%
91	14.513	4188	4190	4193	rBV4	1980	1655	0.10%	0.014%
92	14.561	4203	4205	4209	rBV5	1819	1699	0.11%	0.014%




Sum of corrected areas: 12180467

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110723\
Data File : VV032863.D
Acq On : 07 Nov 2023 12:44
Operator : SY/MD
Sample : 05226-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
YCG45

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103123WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110723\
Data File : VV032863.D
Acq On : 07 Nov 2023 12:44
Operator : SY/MD
Sample : 05226-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
YCG45

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103123WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110723\
Data File : VV032863.D
Acq On : 07 Nov 2023 12:44
Operator : SY/MD
Sample : 05226-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
YCG45

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103123WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST0.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------