

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV110820\
 Data File : VV019296.D
 Acq On : 06 Nov 2020 14:35
 Operator : SY/MD
 Sample : L4615-19
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG467

Quant Time: Nov 07 03:41:53 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Nov 07 01:17:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	246492	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	244229	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	121808	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	82344	42.04	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.08%
7) Chloroethane-d5	1.58	69	70364	46.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.48%
11) 1,1-Dichloroethene-d2	2.12	63	126301	33.89	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.78%
21) 2-Butanone-d5	3.91	46	120882	100.75	ug/L	0.01
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.75%
24) Chloroform-d	4.37	84	165434	45.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.80%
26) 1,2-Dichloroethane-d4	5.06	65	118874	46.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.64%
32) Benzene-d6	5.07	84	312497	45.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.22%
36) 1,2-Dichloropropane-d6	6.09	67	101349	49.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.12%
41) Toluene-d8	7.34	98	281698	42.33	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	84.66%
43) trans-1,3-Dichloropropene-	7.64	79	50281	42.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.12%
47) 2-Hexanone-d5	8.11	63	74329	83.09	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	83.09%
57) 1,1,2,2-Tetrachloroethane-	10.23	84	119343	42.85	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	85.70%
64) 1,2-Dichlorobenzene-d4	11.65	152	119758	46.80	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.60%

Target Compounds					Ovalue
13) Acetone	2.20	43	5423	4.865 ug/L	73

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV110820\
Data File : VV019296.D
Acq On : 06 Nov 2020 14:35
Operator : SY/MD
Sample : L4615-19
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG467

Quant Time: Nov 07 03:41:53 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102920WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Nov 07 01:17:34 2020
Response via : Initial Calibration

