

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV111020\
 Data File : VV019323.D
 Acq On : 10 Nov 2020 15:06
 Operator : SY/MD
 Sample : L4659-06MEDL 20X
 Misc : 5.40g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4A8MEDL

Quant Time: Nov 11 03:55:57 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Nov 11 02:14:49 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	243061	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	241191	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	112469	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	102883	53.26	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	106.52%
7) Chloroethane-d5	1.58	69	87060	58.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	116.04%
11) 1,1-Dichloroethene-d2	2.12	63	153399	41.75	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.50%
21) 2-Butanone-d5	3.91	46	128487	108.61	ug/L	0.01
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.61%
24) Chloroform-d	4.38	84	179612	49.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.98%
26) 1,2-Dichloroethane-d4	5.05	65	126113	50.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.74%
32) Benzene-d6	5.07	84	341357	49.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.78%
36) 1,2-Dichloropropane-d6	6.09	67	108440	53.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	106.32%
41) Toluene-d8	7.34	98	298436	45.41	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.82%
43) trans-1,3-Dichloropropene-	7.64	79	53554	45.37	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.74%
47) 2-Hexanone-d5	8.11	63	74636	84.48	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	84.48%
57) 1,1,2,2-Tetrachloroethane-	10.23	84	126656	46.05	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.10%
64) 1,2-Dichlorobenzene-d4	11.65	152	118626	50.20	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.40%

Target Compounds					Ovalue
34) Trichloroethene	5.95	95	1541	0.809 ug/L	86
46) Tetrachloroethene	8.00	164	38863	23.890 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV111020\
Data File : VV019323.D
Acq On : 10 Nov 2020 15:06
Operator : SY/MD
Sample : L4659-06MEDL 20X
Misc : 5.40uL/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4A8MEDL

Quant Time: Nov 11 03:55:57 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102920WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Nov 11 02:14:49 2020
Response via : Initial Calibration

