

Data Path : Z:\voasrv\HPCHEM1\MSVOA V\Data\VV111220\
 Data File : VV019361.D
 Acq On : 12 Nov 2020 18:57
 Operator : SY/MD
 Sample : L4693-20ME
 Misc : 5.73g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Nov 13 02:21:57 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM111220WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 13 01:06:25 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	216318	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	216402	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	113923	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	79687	48.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	97.74%
7) Chloroethane-d5	1.58	69	65333	49.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.62%
11) 1,1-Dichloroethene-d2	2.10	63	128954	38.43	ug/L	-0.03
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.86%
21) 2-Butanone-d5	3.93	46	84370	100.34	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.34%
24) Chloroform-d	4.37	84	149961	48.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.16%
26) 1,2-Dichloroethane-d4	5.05	65	109849	51.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.12%
32) Benzene-d6	5.07	84	276030	49.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.92%
36) 1,2-Dichloropropane-d6	6.09	67	81047	52.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.64%
41) Toluene-d8	7.33	98	262442	48.11	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.22%
43) trans-1,3-Dichloropropene-	7.64	79	47275	47.82	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.64%
47) 2-Hexanone-d5	8.14	63	58106	100.02	ug/L	0.03
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.02%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	97474	46.07	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.14%
64) 1,2-Dichlorobenzene-d4	11.65	152	114645	52.68	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.36%

Target Compounds					Ovalue
34) Trichloroethene	5.94	95	2489m	1.512 ug/L	
46) Tetrachloroethene	7.99	164	29517	20.353 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA V\Data\VV111220\
Data File : VV019361.D
Acq On : 12 Nov 2020 18:57
Operator : SY/MD
Sample : L4693-20ME
Misc : 5.73g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Nov 13 02:21:57 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM111220WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 13 01:06:25 2020
Response via : Initial Calibration

