

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV111320\
 Data File : VV019374.D
 Acq On : 13 Nov 2020 12:52
 Operator : SY/MD
 Sample : L4712-01ME
 Misc : 6.05g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4E9ME

Quant Time: Nov 16 15:36:10 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM111220WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Nov 16 13:41:50 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	239929	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	243665	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	127882	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	79110	43.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.48%
7) Chloroethane-d5	1.58	69	65132	44.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	88.64%
11) 1,1-Dichloroethene-d2	2.10	63	139162	37.40	ug/L	-0.03
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.80%
21) 2-Butanone-d5	3.93	46	70940	76.06	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	76.06%
24) Chloroform-d	4.37	84	152393	44.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.10%
26) 1,2-Dichloroethane-d4	5.05	65	112991	47.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.72%
32) Benzene-d6	5.07	84	290329	46.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.40%
36) 1,2-Dichloropropane-d6	6.09	67	83519	47.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.76%
41) Toluene-d8	7.33	98	278411	45.33	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.66%
43) trans-1,3-Dichloropropene-	7.64	79	50500	45.37	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.74%
47) 2-Hexanone-d5	8.14	63	56578	86.49	ug/L	0.03
Spiked Amount	100.000	Range	45 - 130	Recovery	=	86.49%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	101230	42.49	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	84.98%
64) 1,2-Dichlorobenzene-d4	11.65	152	121258	49.64	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.28%

Target Compounds					Ovalue
46) Tetrachloroethene	7.99	164	50378	30.851 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV111320\
Data File : VV019374.D
Acq On : 13 Nov 2020 12:52
Operator : SY/MD
Sample : L4712-01ME
Misc : 6.05g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4E9ME

Quant Time: Nov 16 15:36:10 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM111220WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Nov 16 13:41:50 2020
Response via : Initial Calibration

