

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV111622\
 Data File : VV029012.D
 Acq On : 16 Nov 2022 13:17
 Operator : SY/MD
 Sample : N5620-03
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BGCA0

Quant Time: Nov 17 02:52:33 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR111122WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Nov 17 02:49:50 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.603	114	242966	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.841	117	218644	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.239	152	105167	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.294	65	38460	2.596	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	52.000%
7) Chloroethane-d5	1.558	69	43206	3.318	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	66.400%
11) 1,1-Dichloroethene-d2	2.095	63	59612	2.208	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	44.200%#
20) 2-Butanone-d5	3.947	46	133876	53.992	ug/L	0.05
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.980%
24) Chloroform-d	4.333	84	121283	3.988	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	79.800%
26) 1,2-Dichloroethane-d4	5.024	65	61997	4.531	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.600%
32) Benzene-d6	5.031	84	231487	3.547	ug/L	-0.01
Spiked Amount	5.000	Range	70 - 125	Recovery	=	71.000%
36) 1,2-Dichloropropane-d6	6.053	67	57139	3.135	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	62.800%
41) Toluene-d8	7.291	98	224725	3.825	ug/L	-0.02
Spiked Amount	5.000	Range	70 - 130	Recovery	=	76.600%
43) trans-1,3-Dichloroprop...	7.606	79	21971	3.697	ug/L	-0.01
Spiked Amount	5.000	Range	55 - 130	Recovery	=	74.000%
46) 2-Hexanone-d5	8.101	63	128308	50.574	ug/L	0.02
Spiked Amount	50.000	Range	45 - 130	Recovery	=	101.140%
56) 1,1,2,2-Tetrachloroeth...	10.207	84	63248	5.006	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	100.200%
66) 1,2-Dichlorobenzene-d4	11.616	152	87247	4.637	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	92.800%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV111622\
Data File : VV029012.D
Acq On : 16 Nov 2022 13:17
Operator : SY/MD
Sample : N5620-03
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BGCA0

Quant Time: Nov 17 02:52:33 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR111122WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Nov 17 02:49:50 2022
Response via : Initial Calibration

