

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW111622\
 Data File : VW029022.D
 Acq On : 16 Nov 2022 17:15
 Operator : SY/MD
 Sample : N5620-13
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BGCB0

Quant Time: Nov 17 02:54:46 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR111122WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Nov 17 02:49:50 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.613	114	254548	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.847	117	239149	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.243	152	106384	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	44569	2.872	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	57.400%	
7) Chloroethane-d5	1.568	69	49358	3.618	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	72.400%	
11) 1,1-Dichloroethene-d2	2.105	63	66261	2.343	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	46.800%#	
20) 2-Butanone-d5	3.892	46	109084	41.992	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	83.980%	
24) Chloroform-d	4.343	84	146155	4.587	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	91.800%	
26) 1,2-Dichloroethane-d4	5.027	65	67918	4.738	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	94.800%	
32) Benzene-d6	5.047	84	279376	3.914	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	78.200%	
36) 1,2-Dichloropropane-d6	6.066	67	90040	4.517	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	90.400%	
41) Toluene-d8	7.310	98	231310	3.600	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	72.000%	
43) trans-1,3-Dichloroprop...	7.622	79	23814	3.663	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	73.200%	
46) 2-Hexanone-d5	8.088	63	138837	50.032	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	100.060%	
56) 1,1,2,2-Tetrachloroeth...	10.210	84	72203	5.225	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	104.400%	
66) 1,2-Dichlorobenzene-d4	11.619	152	90722	4.767	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	95.400%	
Target Compounds						
22) cis-1,2-Dichloroethene	3.912	96	1198	0.066	ug/L	Qvalue 78

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV111622\
Data File : VV029022.D
Acq On : 16 Nov 2022 17:15
Operator : SY/MD
Sample : N5620-13
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BGCB0

Quant Time: Nov 17 02:54:46 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR111122WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Nov 17 02:49:50 2022
Response via : Initial Calibration

