

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW111622\
 Data File : VW029020.D
 Acq On : 16 Nov 2022 16:26
 Operator : SY/MD
 Sample : N5620-11
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BGCA8

Quant Time: Nov 17 02:54:18 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR111122WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Nov 17 02:49:50 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	267662	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.847	117	248232	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.243	152	111494	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	42648	2.614	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	52.200%	
7) Chloroethane-d5	1.565	69	48862	3.406	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	68.200%	
11) 1,1-Dichloroethene-d2	2.105	63	65635	2.207	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	44.200%#	
20) 2-Butanone-d5	3.931	46	135383	49.562	ug/L	0.04
Spiked Amount	50.000	Range 40 - 130	Recovery	=	99.120%	
24) Chloroform-d	4.346	84	146549	4.374	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	87.400%	
26) 1,2-Dichloroethane-d4	5.031	65	69958	4.641	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	92.800%	
32) Benzene-d6	5.047	84	278602	3.760	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	75.200%	
36) 1,2-Dichloropropane-d6	6.066	67	87994	4.253	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	85.000%	
41) Toluene-d8	7.314	98	231120	3.465	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	69.400%#	
43) trans-1,3-Dichloroprop...	7.625	79	23553	3.490	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	69.800%	
46) 2-Hexanone-d5	8.088	63	148001	51.383	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	102.760%	
56) 1,1,2,2-Tetrachloroeth...	10.211	84	72707	5.069	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	101.400%	
66) 1,2-Dichlorobenzene-d4	11.616	152	89466	4.485	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	89.800%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV111622\
Data File : VV029020.D
Acq On : 16 Nov 2022 16:26
Operator : SY/MD
Sample : N5620-11
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BGCA8

Quant Time: Nov 17 02:54:18 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR111122WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Nov 17 02:49:50 2022
Response via : Initial Calibration

