

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV111819\
 Data File : VV013655.D
 Acq On : 18 Nov 2019 13:28
 Operator : SY/MD
 Sample : K5856-21
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GAR27

Quant Time: Nov 19 05:31:08 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR111519WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Nov 19 04:25:23 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	294064	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	291225	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	128667	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	106060	5.84	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	116.80%
7) Chloroethane-d5	1.58	69	97339	6.00	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	120.00%
11) 1,1-Dichloroethene-d2	2.13	63	140849	4.33	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	86.60%
20) 2-Butanone-d5	3.92	46	293167	69.79	ug/L	-0.04
Spiked Amount	50.000	Range	40 - 130	Recovery	=	139.58%#
24) Chloroform-d	4.40	84	233829	5.82	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	116.40%
26) 1,2-Dichloroethane-d4	5.08	65	120563	6.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	125.00%
32) Benzene-d6	5.10	84	451046	5.56	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	111.20%
36) 1,2-Dichloropropane-d6	6.11	67	141874	5.92	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	118.40%
41) Toluene-d8	7.36	98	377241	5.00	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.00%
43) trans-1,3-Dichloropropene-	7.66	79	47408	5.14	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	102.80%
46) 2-Hexanone-d5	8.13	63	199244	57.03	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	114.06%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	105025	6.05	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	121.00%#
64) 1,2-Dichlorobenzene-d4	11.67	152	156751	6.33	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	126.60%#


Target Compounds					Ovalue
13) Acetone	2.18	43	9479	3.576 ug/L	# 21


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV111819\
Data File : VV013655.D
Acq On : 18 Nov 2019 13:28
Operator : SY/MD
Sample : K5856-21
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GAR27

Quant Time: Nov 19 05:31:08 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR111519WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Nov 19 04:25:23 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.576 ug/L

RT: 2.18 min Scan# 340

Delta R.T. -0.04 min

Lab File: VV013655.D

Acq: 18 Nov 2019 13:28

Instrument :

MSVOA_V

ClientSampleId :

GAR27

Tot Ion: 43 Resp: 9479

Ion Ratio Lower Upper

43 100

58 36.6 0.0 17.0#

