

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV111819\
 Data File : VV013656.D
 Acq On : 18 Nov 2019 13:52
 Operator : SY/MD
 Sample : K5856-22
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GAR28

Manual Integrations
 APPROVED

MMDADODA
 11/19/2019 9:27:24 AM

Quant Time: Nov 19 05:37:57 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR111519WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Nov 19 04:25:23 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	325742	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	325823	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	144355	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	100545	4.99	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	99.80%
7) Chloroethane-d5	1.58	69	95624	5.32	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	106.40%
11) 1,1-Dichloroethene-d2	2.13	63	142600	3.95	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	79.00%
20) 2-Butanone-d5	3.92	46	277479	59.63	ug/L	-0.04
Spiked Amount	50.000	Range	40 - 130	Recovery	=	119.26%
24) Chloroform-d	4.40	84	223469	5.02	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.40%
26) 1,2-Dichloroethane-d4	5.08	65	118686	5.55	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	111.00%
32) Benzene-d6	5.09	84	442238	4.87	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.40%
36) 1,2-Dichloropropane-d6	6.11	67	140921	5.25	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	105.00%
41) Toluene-d8	7.36	98	373703	4.43	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.60%
43) trans-1,3-Dichloropropene-	7.66	79	49005	4.75	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	95.00%
46) 2-Hexanone-d5	8.13	63	186950	47.83	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	95.66%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	101420	5.22	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.40%
64) 1,2-Dichlorobenzene-d4	11.67	152	154887	5.58	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	111.60%

Target Compounds				Ovalue
13) Acetone	2.18	43	3827m	1.304 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV111819\
Data File : VV013656.D
Acq On : 18 Nov 2019 13:52
Operator : SY/MD
Sample : K5856-22
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 9 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
GAR28

Manual Integrations
APPROVED

MMDADODA
11/19/2019 9:27:24 AM

Quant Time: Nov 19 05:37:57 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR111519WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Nov 19 04:25:23 2019
Response via : Initial Calibration





#13
Acetone
Concen: 1.304 ug/L m
RT: 2.18 min Scan# 340
Delta R.T. -0.04 min
Lab File: VV013656.D
Acq: 18 Nov 2019 13:52

Instrument :
MSVOA_V
ClientSampleId :
GAR28

Tot Ion	Ratio	Lower	Upper
43	100		
58	27.1	0.0	17.0#

Manual Integrations
APPROVED

MMDADODA
11/19/2019 9:27:24 AM

