

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV111819\
 Data File : VV013657.D
 Acq On : 18 Nov 2019 14:16
 Operator : SY/MD
 Sample : K5856-23
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GAR29

Manual Integrations
 APPROVED

MMDADODA
 11/19/2019 9:27:29 AM

Quant Time: Nov 19 05:43:39 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR111519WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Nov 19 04:25:23 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	370363	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	363566	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	163003	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	102833	4.49	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	89.80%
7) Chloroethane-d5	1.58	69	96883	4.74	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	94.80%
11) 1,1-Dichloroethene-d2	2.13	63	143096	3.49	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	69.80%
20) 2-Butanone-d5	3.92	46	248172	46.91	ug/L	-0.04
Spiked Amount	50.000	Range	40 - 130	Recovery	=	93.82%
24) Chloroform-d	4.40	84	226146	4.47	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.40%
26) 1,2-Dichloroethane-d4	5.08	65	113143	4.66	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.20%
32) Benzene-d6	5.10	84	448173	4.42	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.40%
36) 1,2-Dichloropropane-d6	6.11	67	138925	4.64	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	92.80%
41) Toluene-d8	7.36	98	375926	3.99	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.80%
43) trans-1,3-Dichloropropene-	7.66	79	46639	4.05	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	81.00%
46) 2-Hexanone-d5	8.13	63	174664	40.05	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	80.10%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	93677	4.32	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.40%
64) 1,2-Dichlorobenzene-d4	11.67	152	157015	5.01	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.20%

Target Compounds				Ovalue
13) Acetone	2.19	43	9300m	2.786 ug/L
34) Trichloroethene	5.96	95	7162	0.243 ug/L 88

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV111819\
Data File : VV013657.D
Acq On : 18 Nov 2019 14:16
Operator : SY/MD
Sample : K5856-23
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 10 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
GAR29

Manual Integrations
APPROVED

MMDADODA
11/19/2019 9:27:29 AM

Quant Time: Nov 19 05:43:39 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR111519WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Nov 19 04:25:23 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.786 ug/L m

RT: 2.19 min Scan# 341

Delta R.T. -0.04 min

Lab File: VV013657.D

Acq: 18 Nov 2019 14:16

Instrument :

MSVOA_V

ClientSampleId :

GAR29

Tot Ion: 43 Resp: 9300

Ion Ratio Lower Upper

43 100





58 1.8 0.0 17.0

Manual Integrations

APPROVED

MMDADODA

11/19/2019 9:27:29 AM



#34

Trichloroethene

Concen: 0.243 ug/L

RT: 5.96 min Scan# 1514

Delta R.T. 0.00 min

Lab File: VV013657.D

Acq: 18 Nov 2019 14:16

Tgt Ion: 95 Resp: 7162

Ion Ratio Lower Upper

95 100

97 75.7 44.8 83.2

132 118.4 72.9 135.3

130 115.3 75.1 139.5

