

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW111921\
 Data File : VW023640.D
 Acq On : 19 Nov 2021 13:53
 Operator : SY/MD
 Sample : M4694-11
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Quant Time: Nov 22 01:47:24 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR110421WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Nov 22 01:44:25 2021
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By : John Carlone 11/22/2021
 Supervised By : Mahesh Dadoda 11/22/2021

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	103615	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	103780	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	45923	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	30524	4.702	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	94.000%	
7) Chloroethane-d5	1.568	69	27162	5.134	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	102.600%	
11) 1,1-Dichloroethene-d2	2.108	63	45383	3.735	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	74.600%	
20) 2-Butanone-d5	3.915	46	57510m	51.426	ug/L	0.02
Spiked Amount	50.000	Range 40 - 130	Recovery	=	102.860%	
24) Chloroform-d	4.349	84	65283	4.719	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	94.400%	
26) 1,2-Dichloroethane-d4	5.037	65	31844	5.119	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	102.400%	
32) Benzene-d6	5.050	84	120674	4.532	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	90.600%	
36) 1,2-Dichloropropane-d6	6.072	67	37442	4.777	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	95.600%	
41) Toluene-d8	7.317	98	101931	4.085	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	81.600%	
43) trans-1,3-Dichloroprop...	7.629	79	12468	4.195	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	83.800%	
46) 2-Hexanone-d5	8.092	63	45245	41.374	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	82.740%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	25041	4.442	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	88.800%	
66) 1,2-Dichlorobenzene-d4	11.625	152	40122	5.247	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	105.000%	
Target Compounds						
16) Methylene chloride	2.507	84	4328	0.480	ug/L	97
48) 2-Hexanone	8.140	43	5404m	2.456	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV111921\
Data File : VV023640.D
Acq On : 19 Nov 2021 13:53
Operator : SY/MD
Sample : M4694-11
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 10 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Manual Integrations
APPROVED

Reviewed By : John Carlone 11/22/2021
Supervised By : Mahesh Dadoda 11/22/2021


Quant Time: Nov 22 01:47:24 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR110421WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Nov 22 01:44:25 2021
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.480 ug/L
RT: 2.507 min Scan# 41
Delta R.T. 0.006 min
Lab File: VV023640.D
Acq: 19 Nov 2021 13:53




Instrument :
MSVOA_V
ClientSampleId :
VHBLK001



Tgt Ion: 84 Resp: 4328
Ion Ratio Lower Upper
84 100
86 61.3 42.3 78.5
49 108.8 79.7 148.1

Manual Integrations
APPROVED

Reviewed By :John Carlone 11/22/2021
Supervised By :Mahesh Dadoda 11/22/2021



#48
2-Hexanone
Concen: 2.456 ug/L m
RT: 8.140 min Scan# 2208
Delta R.T. 0.000 min
Lab File: VV023640.D
Acq: 19 Nov 2021 13:53

Tgt Ion: 43 Resp: 5404
Ion Ratio Lower Upper
43 100
58 44.9 43.7 65.5
57 15.4 14.1 21.1
100 1.4 10.2 15.2#

