

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW111922\
 Data File : VW029166.D
 Acq On : 19 Nov 2022 13:22
 Operator : SY/MD
 Sample : N5688-01
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BGCE6

Quant Time: Nov 20 00:57:26 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR111122WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sun Nov 20 00:53:03 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.612	114	313835	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.847	117	289933	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.242	152	131840	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	109819	5.740	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	114.800%	
7) Chloroethane-d5	1.568	69	84718	5.037	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	100.800%	
11) 1,1-Dichloroethene-d2	2.105	63	138137	3.962	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	79.200%	
20) 2-Butanone-d5	3.889	46	180937	56.494	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	112.980%	
24) Chloroform-d	4.342	84	179557	4.571	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	91.400%	
26) 1,2-Dichloroethane-d4	5.030	65	84588	4.786	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	95.800%	
32) Benzene-d6	5.047	84	387261	4.475	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	89.400%	
36) 1,2-Dichloropropane-d6	6.066	67	115983	4.800	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	96.000%	
41) Toluene-d8	7.310	98	339861	4.363	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	87.200%	
43) trans-1,3-Dichloroprop...	7.622	79	34399	4.364	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	87.200%	
46) 2-Hexanone-d5	8.088	63	146079	43.421	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	86.840%	
56) 1,1,2,2-Tetrachloroeth...	10.207	84	77419	4.621	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	92.400%	
66) 1,2-Dichlorobenzene-d4	11.615	152	116092	4.922	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	98.400%	
Target Compounds						Qvalue
34) Trichloroethene	5.924	95	5421	0.239	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV111922\
Data File : VV029166.D
Acq On : 19 Nov 2022 13:22
Operator : SY/MD
Sample : N5688-01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BGCE6

Quant Time: Nov 20 00:57:26 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR111122WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sun Nov 20 00:53:03 2022
Response via : Initial Calibration

