


Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV112019\
Data File : VV013697.D
Acq On : 20 Nov 2019 18:45
Operator : SY/MD
Sample : K5941-03
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
B0AA9

Manual Integrations
APPROVED

MMDadoda
11/22/2019 12:54:04 AM

Quant Time: Nov 21 02:48:21 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR111519WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Nov 21 00:51:34 2019
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV112019\
 Data File : VV013697.D
 Acq On : 20 Nov 2019 18:45
 Operator : SY/MD
 Sample : K5941-03
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
ClientSampleId :
 B0AA9

Manual Integrations
APPROVED

MMDadoda
 11/22/2019 12:54:04 AM

Quant Time: Nov 21 00:55:28 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR111519WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Nov 21 00:51:34 2019
 Response via : Initial Calibration



TIC: VV013697.D

(13) Acetone (T)

2.299min (+0.074) 1.49ug/L

response 4426

Ion	Exp%	Act%
43.05	100	100
58.05	8.50	7.75
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV112019\
 Data File : VV013697.D
 Acq On : 20 Nov 2019 18:45
 Operator : SY/MD
 Sample : K5941-03
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 B0AA9

Manual Integrations
 APPROVED

MMDadoda
 11/22/2019 12:54:04 AM

Quant Time: Nov 21 00:55:28 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR111519WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Nov 21 00:51:34 2019
 Response via : Initial Calibration



TIC: VV013697.D

(13) Acetone (T)

2.187min (-0.039) 11.44ug/L m

response 34043

Ion	Exp%	Act%
43.05	100	100
58.05	8.50	1.01
0.00	0.00	0.00
0.00	0.00	0.00

MD
11/26/19

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV112019\
 Data File : VV013697.D
 Acq On : 20 Nov 2019 18:45
 Operator : SY/MD
 Sample : K5941-03
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 B0AA9

Manual Integrations
 APPROVED

MMDadoda
 11/22/2019 12:54:04 AM

Quant Time: Nov 21 02:48:21 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR111519WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Nov 21 00:51:34 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	330270	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	328311	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	148565	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	128769	6.31	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	126.20%
7) Chloroethane-d5	1.58	69	117092	6.43	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	128.60%
11) 1,1-Dichloroethene-d2	2.13	63	175925	4.81	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	96.20%
20) 2-Butanone-d5	3.92	46	291660	61.82	ug/L	-0.04
Spiked Amount	50.000	Range	40 - 130	Recovery	=	123.64%
24) Chloroform-d	4.40	84	249005	5.52	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	110.40%
26) 1,2-Dichloroethane-d4	5.08	65	127863	5.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	118.00%
32) Benzene-d6	5.10	84	506433	5.53	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	110.60%
36) 1,2-Dichloropropane-d6	6.11	67	154384	5.71	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	114.20%
41) Toluene-d8	7.36	98	443798	5.22	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.40%
43) trans-1,3-Dichloropropene-	7.66	79	53429	5.14	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	102.80%
46) 2-Hexanone-d5	8.13	63	201673	51.21	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	102.42%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	105304	5.38	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	107.60%
64) 1,2-Dichlorobenzene-d4	11.67	152	176493	6.17	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	123.40%#

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
3) Chloromethane	1.25	50	6779	0.232	ug/L	96
13) Acetone	2.19	43	34043m	11.436	ug/L	96
16) Methylene chloride	2.53	84	17263	0.630	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed