

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV112023\
 Data File : VV033021.D
 Acq On : 20 Nov 2023 14:38
 Operator : SY/MD
 Sample : VV1120WBL01
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK224

Quant Time: Nov 20 23:41:20 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM112023WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Nov 20 23:40:05 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	360335	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	355240	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	190816	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	85328	45.291	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.580%
7) Chloroethane-d5	1.532	69	67000	46.240	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.480%
11) 1,1-Dichloroethene-d2	2.059	65	35274	45.757	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.520%
21) 2-Butanone-d5	3.780	46	113165	94.408	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.410%
24) Chloroform-d	4.249	84	208328	44.869	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.740%
26) 1,2-Dichloroethane-d4	4.940	65	133398	46.058	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.120%
32) Benzene-d6	4.960	84	410426	49.613	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.220%
36) 1,2-Dichloropropane-d6	5.989	67	116157	49.516	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.040%
41) Toluene-d8	7.243	98	371177	47.002	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.000%
43) trans-1,3-Dichloroprop...	7.551	79	62603	45.712	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.420%
47) 2-Hexanone-d5	8.024	63	94249	97.090	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	97.090%
56) 1,1,2,2-Tetrachloroeth...	10.152	84	157595	44.134	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.260%
66) 1,2-Dichlorobenzene-d4	11.561	152	169306	49.756	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.520%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV112023\
Data File : VV033021.D
Acq On : 20 Nov 2023 14:38
Operator : SY/MD
Sample : VV1120WBL01
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK224

Quant Time: Nov 20 23:41:20 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM112023WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Nov 20 23:40:05 2023
Response via : Initial Calibration

