

Data Path : Z:\VOASRV\HPCHEM1\MSVOA\_V\DATA\VV112118\  
 Data File : VV008692.D  
 Acq On : 21 Nov 2018 11:32  
 Operator : SY/MD  
 Sample : J6026-18  
 Misc : 25.0 mL/MSVOA\_V/WATER  
 ALS Vial : 5 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :

Quant Time: Nov 22 00:50:12 2018  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR111718WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Thu Nov 22 00:36:45 2018  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	162265	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	147659	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	61542	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	41722	5.79	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	115.80%
7) Chloroethane-d5	1.59	69	33267	5.61	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	112.20%
11) 1,1-Dichloroethene-d2	2.14	63	57543	3.93	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	78.60%
20) 2-Butanone-d5	3.95	46	132971	51.56	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.12%
24) Chloroform-d	4.41	84	96560	4.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.00%
26) 1,2-Dichloroethane-d4	5.09	65	51902	5.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.40%
32) Benzene-d6	5.10	84	200789	5.21	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	104.20%
36) 1,2-Dichloropropane-d6	6.12	67	61487	4.95	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.00%
41) Toluene-d8	7.36	98	168852	4.67	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.40%
43) trans-1,3-Dichloropropene-	7.67	79	18603	3.93	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.60%
46) 2-Hexanone-d5	8.14	63	89493	41.70	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	83.40%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	42003	4.84	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.80%
64) 1,2-Dichlorobenzene-d4	11.68	152	57521	5.18	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.60%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA\_V\DATA\VV112118\  
Data File : VV008692.D  
Acq On : 21 Nov 2018 11:32  
Operator : SY/MD  
Sample : J6026-18  
Misc : 25.0 mL/MSVOA\_V/WATER  
ALS Vial : 5 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampled :

Quant Time: Nov 22 00:50:12 2018  
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR111718WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Thu Nov 22 00:36:45 2018  
Response via : Initial Calibration

