

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV112219\
 Data File : VV013747.D
 Acq On : 22 Nov 2019 20:36
 Operator : SY/MD
 Sample : K5910-23
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK01

Quant Time: Nov 23 03:30:58 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR112219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Nov 23 01:35:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	271738	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	293900	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	157263	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	93042	5.53	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	110.60%
7) Chloroethane-d5	1.58	69	89918	6.30	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	126.00%
11) 1,1-Dichloroethene-d2	2.13	63	137537	4.86	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	97.20%
20) 2-Butanone-d5	3.92	46	276791	79.16	ug/L	-0.03
Spiked Amount	50.000	Range	40 - 130	Recovery	=	158.32%#
24) Chloroform-d	4.40	84	208588	6.15	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	123.00%
26) 1,2-Dichloroethane-d4	5.08	65	114084	7.07	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	141.40%#
32) Benzene-d6	5.10	84	420409	5.54	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	110.80%
36) 1,2-Dichloropropane-d6	6.12	67	134338	5.95	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	119.00%
41) Toluene-d8	7.36	98	362156	5.09	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.80%
43) trans-1,3-Dichloropropene-	7.66	79	46205	5.25	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	105.00%
46) 2-Hexanone-d5	8.13	63	207453	63.95	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	127.90%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	103430	6.60	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	132.00%#
64) 1,2-Dichlorobenzene-d4	11.67	152	159467	5.74	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	114.80%

Target Compounds	Ovalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV112219\
Data File : VV013747.D
Acq On : 22 Nov 2019 20:36
Operator : SY/MD
Sample : K5910-23
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Quant Time: Nov 23 03:30:58 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR112219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Nov 23 01:35:18 2019
Response via : Initial Calibration

