

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VW112221\  
 Data File : VV023658.D  
 Acq On : 22 Nov 2021 13:34  
 Operator : SY/MD  
 Sample : VSTDICV0.5  
 Misc : 25.0mL/MSVOA\_V/WATER  
 ALS Vial : 7 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 VICV235

Quant Time: Nov 23 02:09:59 2021  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVSIM112221.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Tue Nov 23 02:04:29 2021  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|-------|----------|
| -----                         |        |       |          |          |       |          |
| Internal Standards            |        |       |          |          |       |          |
| 1) 1,4-Difluorobenzene        | 5.615  | 114   | 14115    | 0.500    | ug/L  | -0.02    |
| 5) Chlorobenzene-d5           | 8.863  | 117   | 13536    | 0.500    | ug/L  | 0.00     |
| 11) 1,4-Dichlorobenzene-d4    | 11.244 | 152   | 6997     | 0.500    | ug/L  | -0.02    |
| System Monitoring Compounds   |        |       |          |          |       |          |
| 2) Vinyl Chloride-d3          | 1.310  | 65    | 8389     | 0.585    | ug/L  | 0.00     |
| Spiked Amount                 | 0.500  | Range | 40 - 130 | Recovery | =     | 118.000% |
| 4) 1,2-Dichloroethane-d4      | 5.042  | 65    | 5724     | 0.588    | ug/L  | 0.00     |
| Spiked Amount                 | 0.500  | Range | 70 - 130 | Recovery | =     | 118.000% |
| 7) 1,2-Dichloropropane-d6     | 6.068  | 67    | 6858     | 0.583    | ug/L  | 0.00     |
| Spiked Amount                 | 0.500  | Range | 60 - 140 | Recovery | =     | 116.000% |
| 8) Toluene-d8                 | 7.317  | 98    | 17986    | 0.591    | ug/L  | 0.00     |
| Spiked Amount                 | 0.500  | Range | 70 - 130 | Recovery | =     | 118.000% |
| 10) 1,1,2,2-Tetrachloroeth... | 10.216 | 84    | 4196     | 0.588    | ug/L  | 0.00     |
| Spiked Amount                 | 0.500  | Range | 65 - 120 | Recovery | =     | 118.000% |
| Target Compounds              |        |       |          |          |       |          |
|                               |        |       |          |          |       | Qvalue   |
| 3) Vinyl chloride             | 1.310  | 62    | 7773     | 0.492    | ug/L  | 98       |
| 6) Trichloroethene            | 5.925  | 95    | 5658     | 0.496    | ug/L  | 99       |
| 9) 1,2-Dibromoethane          | 8.353  | 107   | 3336     | 0.485    | ug/L  | 98       |
| 12) 1,2,3-Trichloropropane    | 10.267 | 75    | 2832     | 0.477    | ug/L  | 99       |
| 13) 1,2-Dibromo-3-chloropr... | 12.426 | 75    | 515      | 0.485    | ug/L  | 98       |
| -----                         |        |       |          |          |       |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV112221\  
Data File : VV023658.D  
Acq On : 22 Nov 2021 13:34  
Operator : SY/MD  
Sample : VSTDICV0.5  
Misc : 25.0mL/MSVOA\_V/WATER  
ALS Vial : 7 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
VICV235

Quant Time: Nov 23 02:09:59 2021  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVSIM112221.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Tue Nov 23 02:04:29 2021  
Response via : Initial Calibration

