

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV112320\
 Data File : VV019432.D
 Acq On : 23 Nov 2020 20:03
 Operator : SY/MD
 Sample : L4793-24
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK02

Quant Time: Nov 24 11:36:40 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Nov 24 05:27:09 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	362725	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	368573	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	176828	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	169040	46.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	93.32%
7) Chloroethane-d5	1.58	69	140255	47.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.14%
11) 1,1-Dichloroethene-d2	2.12	63	244396	37.90	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	75.80%
21) 2-Butanone-d5	3.89	46	212769	96.36	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	96.36%
24) Chloroform-d	4.37	84	275233	47.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.00%
26) 1,2-Dichloroethane-d4	5.05	65	188596	49.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.40%
32) Benzene-d6	5.07	84	533900	48.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.98%
36) 1,2-Dichloropropane-d6	6.09	67	179692	49.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.12%
41) Toluene-d8	7.33	98	458258	46.94	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.88%
43) trans-1,3-Dichloropropene-	7.64	79	81859	46.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.48%
47) 2-Hexanone-d5	8.11	63	121840	85.29	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	85.29%
57) 1,1,2,2-Tetrachloroethane-	10.23	84	206161	43.93	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	87.86%
64) 1,2-Dichlorobenzene-d4	11.65	152	178768	52.06	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.12%


Target Compounds				Ovalue
48) 2-Hexanone	8.15	43	19798	5.827 ug/L # 72


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV112320\
Data File : VV019432.D
Acq On : 23 Nov 2020 20:03
Operator : SY/MD
Sample : L4793-24
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK02

Quant Time: Nov 24 11:36:40 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112320WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Nov 24 05:27:09 2020
Response via : Initial Calibration





#48

2-Hexanone

Concen: 5.827 ug/L

RT: 8.15 min Scan# 2197

Delta R.T. 0.00 min

Lab File: VV019432.D

Acq: 23 Nov 2020 20:03

Instrument :

MSVOA_V

ClientSampleId :

VHBLK02

Tot Ion: 43 Resp: 19798



Ion Ratio Lower Upper

43 100

58 37.2 43.8 65.6#

57 0.8 15.4 23.2#

100 2.4 9.0 13.6#



Abundance Ion 43.00 (42.70 to 43.70): VV0

Ion 58.00 (57.70 to 58.70): VV0

Ion 57.00 (56.70 to 57.70): VV0

Ion 100.00 (99.70 to 100.70): VV0

