

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV112519\
Quantitation Report (QT Reviewed)


Data File : VV013762.D
Acq On : 25 Nov 2019 13:48
Operator : SY/MD
Sample : K5941-20
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
B0AD8

Manual Integrations
APPROVED

MMDadoda
11/26/2019 2:04:18 PM

Quant Time: Nov 26 06:15:35 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR112219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Nov 26 04:36:55 2019
Response via : Initial Calibration



Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV112519\
Quantitation Report (Qedit)




Data File : VV013762.D
Acq On : 25 Nov 2019 13:48
Operator : SY/MD
Sample : K5941-20
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
B0AD8

Manual Integrations
APPROVED

MMDadoda
11/26/2019 2:04:18 PM

Quant Time: Nov 26 04:40:38 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR112219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Nov 26 04:36:55 2019
Response via : Initial Calibration



TIC: VV013762.D

(13) Acetone (T)

2.142min (-0.042) 0.28ug/L

response 824

Ion	Exp%	Act%
43.05	100	100
58.05	13.60	22.82
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV112519\
Quantitation Report (Qedit)




Data File : VV013762.D
Acq On : 25 Nov 2019 13:48
Operator : SY/MD
Sample : K5941-20
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
B0AD8

Manual Integrations
APPROVED

MMDadoda
11/26/2019 2:04:18 PM

Quant Time: Nov 26 04:40:38 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR112219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Nov 26 04:36:55 2019
Response via : Initial Calibration



(13) Acetone (T)

2.184min (+0.000) 2.54ug/L m

response 7552

Ion	Exp%	Act%
43.05	100	100
58.05	13.60	2.49
0.00	0.00	0.00
0.00	0.00	0.00

7 mg
12/04/19

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV112519\
Quantitation Report (QT Reviewed)

Data File : VV013762.D
Acq On : 25 Nov 2019 13:48
Operator : SY/MD
Sample : K5941-20
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
Client Sampled :
B0AD8

Manual Integrations
APPROVED

MMDadoda
11/26/2019 2:04:18 PM

Quant Time: Nov 26 06:15:35 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR112219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Nov 26 04:36:55 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Difluorobenzene	5.66	114	331009	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	341102	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	145298	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	94500	4.61	ug/L	0.00
Spiked Amount 5.000	Range 40 - 130		Recovery =	92.20%		
7) Chloroethane-d5	1.58	69	85870	4.94	ug/L	0.00
Spiked Amount 5.000	Range 65 - 130		Recovery =	98.80%		
11) 1,1-Dichloroethene-d2	2.14	63	568740	16.49	ug/L	0.00
Spiked Amount 5.000	Range 60 - 125		Recovery =	329.80%#		
20) 2-Butanone-d5	3.92	46	281073	65.99	ug/L	0.00
Spiked Amount 50.000	Range 40 - 130		Recovery =	131.98%#		
24) Chloroform-d	4.40	84	204240	4.94	ug/L	0.00
Spiked Amount 5.000	Range 70 - 125		Recovery =	98.80%		
26) 1,2-Dichloroethane-d4	5.08	65	106258	5.41	ug/L	0.00
Spiked Amount 5.000	Range 70 - 130		Recovery =	108.20%		
32) Benzene-d6	5.09	84	395471	4.49	ug/L	0.00
Spiked Amount 5.000	Range 70 - 125		Recovery =	89.80%		
36) 1,2-Dichloropropane-d6	6.11	67	125023	4.77	ug/L	0.00
Spiked Amount 5.000	Range 60 - 140		Recovery =	95.40%		
41) Toluene-d8	7.36	98	324571	3.93	ug/L	0.00
Spiked Amount 5.000	Range 70 - 130		Recovery =	78.60%		
43) trans-1,3-Dichloropropene-	7.66	79	37851	3.71	ug/L	0.00
Spiked Amount 5.000	Range 55 - 130		Recovery =	74.20%		
46) 2-Hexanone-d5	8.13	63	205679	54.63	ug/L	0.00
Spiked Amount 50.000	Range 45 - 130		Recovery =	109.26%		
57) 1,1,2,2-Tetrachloroethane-	10.26	84	97974	5.39	ug/L	0.00
Spiked Amount 5.000	Range 65 - 120		Recovery =	107.80%		
64) 1,2-Dichlorobenzene-d4	11.67	152	136198	5.31	ug/L	0.00
Spiked Amount 5.000	Range 80 - 120		Recovery =	106.20%		

Target Compounds

						Qvalue
5) Vinyl chloride	1.32	62	294794	14.907	ug/L #	58
8) Chloroethane	1.60	64	69158	5.804	ug/L #	74
12) 1,1-Dichloroethene	2.14	96	872257	54.809	ug/L #	66
13) Acetone	2.18	43	7552m	2.536	ug/L	
14) Carbon disulfide	2.32	76	10577	0.288	ug/L	98
16) Methylene chloride	2.53	84	3877	0.178	ug/L	88
18) trans-1,2-Dichloroethene	2.79	96	198658	11.054	ug/L	98
19) 1,1-Dichloroethane	3.23	63	352068	9.813	ug/L	99
22) cis-1,2-Dichloroethene	3.96	96	61068	2.898	ug/L	98
27) 1,2-Dichloroethane	5.18	62	52081	2.393	ug/L #	94
33) Benzene	5.15	78	7348	0.088	ug/L	100
34) Trichloroethene	5.96	95	211612	9.168	ug/L	97
37) 1,2-Dichloropropane	6.22	63	4710	0.219	ug/L	97
45) 1,1,2-Trichloroethane	7.88	97	9797	0.639	ug/L	93

7 MD
12/24/19

(#) = qualifier out of range (m) = manual integration (+) = signals summed