

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV112618\
 Data File : VV008710.D
 Acq On : 26 Nov 2018 12:56
 Operator : SY/MD
 Sample : VV1126WBL01
 Misc : 5.0 mL/MSVOA_V/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK71

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112018WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.322	67	72	87	rVB	147202	145806	11.98%	1.680%
2	1.582	147	153	169	rVB	116568	135547	11.14%	1.562%
3	2.132	315	324	337	rBV	250223	356946	29.33%	4.113%
4	2.534	445	449	450	rBV3	950	792	0.07%	0.009%
5	2.698	498	500	505	rVB2	269	149	0.01%	0.002%
6	2.721	505	507	508	rBV2	194	82	0.01%	0.001%
7	2.801	525	532	539	rBV4	1414	1619	0.13%	0.019%
8	2.862	549	551	554	rVB	304	127	0.01%	0.001%
9	2.917	566	568	572	rVB	217	119	0.01%	0.001%
10	2.971	582	585	588	rVB	304	189	0.02%	0.002%
11	2.991	588	591	597	rBV	256	200	0.02%	0.002%
12	3.097	622	624	627	rVB	180	59	0.00%	0.001%
13	3.145	637	639	645	rVB	270	233	0.02%	0.003%
14	3.180	645	650	653	rBV2	386	316	0.03%	0.004%
15	3.315	689	692	695	rBV2	157	94	0.01%	0.001%
16	3.332	695	697	699	rBV2	149	84	0.01%	0.001%
17	3.492	744	747	750	rVB2	362	212	0.02%	0.002%
18	3.521	750	756	758	rBV2	196	190	0.02%	0.002%
19	3.698	808	811	812	rBV	111	61	0.01%	0.001%
20	3.811	842	846	851	rVB2	198	200	0.02%	0.002%
21	3.840	851	855	857	rBV	134	117	0.01%	0.001%
22	3.875	865	866	867	rBV	150	51	0.00%	0.001%
23	3.933	870	884	917	rBV2	84349	247875	20.37%	2.856%
24	4.402	1013	1030	1055	rBV	194505	470821	38.68%	5.425%
25	4.631	1098	1101	1103	rBV	136	90	0.01%	0.001%
26	4.688	1115	1119	1120	rBV	188	129	0.01%	0.001%
27	4.875	1172	1177	1180	rBV	224	224	0.02%	0.003%
28	4.930	1190	1194	1197	rBV2	161	131	0.01%	0.002%
29	5.013	1215	1220	1224	rVB2	322	315	0.03%	0.004%
30	5.097	1224	1246	1275	rBV2	478006	1217153	100.00%	14.023%
31	5.409	1341	1343	1344	rBV	306	115	0.01%	0.001%
32	5.473	1361	1363	1364	rBV	161	69	0.01%	0.001%
33	5.515	1369	1376	1377	rBV2	295	246	0.02%	0.003%
34	5.563	1389	1391	1392	rBB2	138	52	0.00%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV112618\
 Data File : VV008710.D
 Acq On : 26 Nov 2018 12:56
 Operator : SY/MD
 Sample : VV1126WBL01
 Misc : 5.0 mL/MSVOA_V/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK71

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112018WMA.M
 Title : VOC Analysis

35	5.602	1398	1403	1407	rBV2	221	281	0.02%	0.003%
36	5.666	1407	1423	1449	rBV	350784	698066	57.35%	8.043%
37	5.885	1488	1491	1497	rBV3	267	242	0.02%	0.003%
38	5.946	1500	1510	1526	rVB7	7256	14863	1.22%	0.171%
39	6.003	1526	1528	1530	rBV2	153	105	0.01%	0.001%
40	6.039	1536	1539	1541	rBV2	166	92	0.01%	0.001%
41	6.119	1549	1564	1593	rBV	269160	549900	45.18%	6.336%
42	6.283	1614	1615	1616	rBV	198	41	0.00%	0.000%
43	6.306	1621	1622	1624	rBV	126	58	0.00%	0.001%
44	6.348	1632	1635	1636	rBV	145	86	0.01%	0.001%
45	6.421	1655	1658	1660	rBV	150	100	0.01%	0.001%
46	6.438	1660	1663	1666	rVB2	316	188	0.02%	0.002%
47	6.463	1666	1671	1678	rVB2	230	295	0.02%	0.003%
48	6.495	1678	1681	1685	rBV2	137	115	0.01%	0.001%
49	6.524	1685	1690	1692	rBV2	215	217	0.02%	0.003%
50	6.556	1698	1700	1707	rVB3	412	345	0.03%	0.004%
51	6.595	1707	1712	1714	rBV2	151	131	0.01%	0.002%
52	6.611	1714	1717	1719	rBV	164	90	0.01%	0.001%
53	6.727	1750	1753	1754	rBV	119	64	0.01%	0.001%
54	6.772	1764	1767	1773	rBV2	217	205	0.02%	0.002%
55	6.807	1777	1778	1779	rVB	168	32	0.00%	0.000%
56	6.856	1790	1793	1797	rBV2	205	201	0.02%	0.002%
57	6.926	1812	1815	1817	rVB	204	93	0.01%	0.001%
58	6.939	1817	1819	1821	rBV2	132	72	0.01%	0.001%
59	7.029	1834	1847	1871	rBV	148553	270348	22.21%	3.115%
60	7.225	1906	1908	1909	rVB	138	39	0.00%	0.000%
61	7.235	1909	1911	1912	rBV	177	57	0.00%	0.001%
62	7.257	1915	1918	1921	rBV2	450	312	0.03%	0.004%
63	7.360	1937	1950	1968	rBV	563563	975611	80.16%	11.240%
64	7.666	2032	2045	2058	rBV	101245	175644	14.43%	2.024%
65	8.016	2151	2154	2163	rVB6	1027	1289	0.11%	0.015%
66	8.074	2171	2172	2173	rVB	237	46	0.00%	0.001%
67	8.084	2173	2175	2178	rBV	219	170	0.01%	0.002%
68	8.135	2178	2191	2245	rVV	268117	539625	44.34%	6.217%
69	8.357	2256	2260	2262	rBV2	337	248	0.02%	0.003%
70	8.392	2269	2271	2276	rBV	305	230	0.02%	0.003%
71	8.418	2277	2279	2281	rVB	225	104	0.01%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV112618\
 Data File : VV008710.D
 Acq On : 26 Nov 2018 12:56
 Operator : SY/MD
 Sample : VV1126WBL01
 Misc : 5.0 mL/MSVOA_V/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK71

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112018WMA.M
 Title : VOC Analysis

72	8.540	2314	2317	2320	rVB2	273	207	0.02%	0.002%
73	8.563	2320	2324	2328	rBV	263	294	0.02%	0.003%
74	8.621	2339	2342	2346	rBV2	143	118	0.01%	0.001%
75	8.688	2362	2363	2366	rBV2	243	111	0.01%	0.001%
76	8.897	2415	2428	2454	rBV	494575	823206	67.63%	9.485%
77	9.055	2473	2477	2486	rVB3	1300	1595	0.13%	0.018%
78	9.138	2501	2503	2505	rBV2	113	58	0.00%	0.001%
79	9.161	2507	2510	2511	rBV	414	197	0.02%	0.002%
80	9.241	2532	2535	2537	rBV	200	136	0.01%	0.002%
81	9.325	2560	2561	2563	rBV	74	41	0.00%	0.000%
82	9.473	2604	2607	2616	rBV2	249	271	0.02%	0.003%
83	10.119	2805	2808	2811	rBV3	580	407	0.03%	0.005%
84	10.264	2841	2853	2876	rBV	336388	536885	44.11%	6.186%
85	10.418	2896	2901	2902	rBV2	793	582	0.05%	0.007%
86	10.486	2919	2922	2926	rBV2	239	164	0.01%	0.002%
87	11.235	3147	3155	3161	rVB5	1769	2425	0.20%	0.028%
88	11.296	3162	3174	3198	rVB	427473	704053	57.84%	8.112%
89	11.396	3203	3205	3209	rBV2	309	177	0.01%	0.002%
90	11.447	3216	3221	3224	rBV3	446	482	0.04%	0.006%
91	11.518	3240	3243	3246	rBV	240	151	0.01%	0.002%
92	11.675	3279	3292	3311	rBV	493333	797621	65.53%	9.190%
93	12.113	3425	3428	3432	rVB2	417	278	0.02%	0.003%


Sum of corrected areas: 8679477

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV112618\
Data File : VV008710.D
Acq On : 26 Nov 2018 12:56
Operator : SY/MD
Sample : VV1126WBL01
Misc : 5.0 mL/MSVOA_V/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK71

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112018WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV112618\
Data File : VV008710.D
Acq On : 26 Nov 2018 12:56
Operator : SY/MD
Sample : VV1126WBL01
Misc : 5.0 mL/MSVOA_V/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK71

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112018WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV112618\
Data File : VV008710.D
Acq On : 26 Nov 2018 12:56
Operator : SY/MD
Sample : VV1126WBL01
Misc : 5.0 mL/MSVOA_V/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK71

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112018WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
