

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV112719\
 Data File : VV013831.D
 Acq On : 27 Nov 2019 19:04
 Operator : SY/MD
 Sample : K6056-09
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFE15

Manual Integrations
 APPROVED

mohammad
 12/2/2019 3:15:48 PM

Quant Time: Nov 29 02:53:05 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR112219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Nov 28 02:51:59 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	323229	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	330883	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	146972	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	68469	3.42	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	68.40%
7) Chloroethane-d5	1.58	69	72694	4.28	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	85.60%
11) 1,1-Dichloroethene-d2	2.13	63	98756	2.93	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.60%#
20) 2-Butanone-d5	3.92	46	209152	50.29	ug/L	-0.03
Spiked Amount	50.000	Range	40 - 130	Recovery	=	100.58%
24) Chloroform-d	4.40	84	179955	4.46	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.20%
26) 1,2-Dichloroethane-d4	5.08	65	89225	4.65	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.00%
32) Benzene-d6	5.10	84	323293	3.79	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	75.80%
36) 1,2-Dichloropropane-d6	6.11	67	103354	4.06	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	81.20%
41) Toluene-d8	7.36	98	256785	3.21	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	64.20%#
43) trans-1,3-Dichloropropene-	7.66	79	33217	3.35	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	67.00%
46) 2-Hexanone-d5	8.13	63	149009	40.80	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	81.60%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	85847	4.87	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.40%
64) 1,2-Dichlorobenzene-d4	11.67	152	122808	4.73	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.60%

Target Compounds				Qvalue
13) Acetone	2.19	43	7805m	2.684 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV112719\
Data File : VV013831.D
Acq On : 27 Nov 2019 19:04
Operator : SY/MD
Sample : K6056-09
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 22 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
BFE15

Manual Integrations
APPROVED

mohammad
12/2/2019 3:15:48 PM

Quant Time: Nov 29 02:53:05 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR112219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Nov 28 02:51:59 2019
Response via : Initial Calibration





#13
Acetone
Concen: 2.684 ug/L m
RT: 2.19 min Scan# 341
Delta R.T. -0.03 min
Lab File: VV013831.D
Acq: 27 Nov 2019 19:04

Instrument :
MSVOA_V
ClientSampleId :
BFE15

Tgt Ion	Ratio	Lower	Upper
43	100		
58	2.5	0.0	27.2

Manual Integrations
APPROVED

mohammad
12/2/2019 3:15:48 PM

