

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV112919\
 Data File : VV013843.D
 Acq On : 29 Nov 2019 12:36
 Operator : SY/MD
 Sample : K5989-03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0BH4

Quant Time: Nov 29 23:00:18 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM110619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 29 22:33:56 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	653067	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	647199	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	284422	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	196229	51.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	102.62%
7) Chloroethane-d5	1.58	69	177518	57.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	114.04%
11) 1,1-Dichloroethene-d2	2.13	63	277284	41.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.92%
21) 2-Butanone-d5	3.92	46	275627	97.48	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.48%
24) Chloroform-d	4.40	84	412365	49.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.34%
26) 1,2-Dichloroethane-d4	5.08	65	262225	48.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.80%
32) Benzene-d6	5.10	84	812352	47.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.12%
36) 1,2-Dichloropropane-d6	6.11	67	259569	46.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.72%
41) Toluene-d8	7.36	98	751728	47.33	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.66%
43) trans-1,3-Dichloropropene-	7.66	79	117026	45.48	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.96%
47) 2-Hexanone-d5	8.13	63	203998	100.43	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.43%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	348623	49.55	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.10%
64) 1,2-Dichlorobenzene-d4	11.67	152	301708	53.21	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	106.42%


Target Compounds					Ovalue
13) Acetone	2.19	43	5325	2.018 ug/L	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV112919\
Data File : VV013843.D
Acq On : 29 Nov 2019 12:36
Operator : SY/MD
Sample : K5989-03
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0BH4

Quant Time: Nov 29 23:00:18 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM110619WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 29 22:33:56 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.018 ug/L

RT: 2.19 min Scan# 341

Delta R.T. 0.01 min

Lab File: VV013843.D

Acq: 29 Nov 2019 12:36

Instrument :

MSVOA_V

ClientSampleId :


C0BH4

Tot Ion: 43 Resp: 5325

Ion Ratio Lower Upper

43 100

58 41.1 0.0 65.2



Abundance Ion 43.00 (42.70 to 43.70): VV0

Ion 58.00 (57.70 to 58.70): VV0

