

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW112921\
 Data File : VW023741.D
 Acq On : 29 Nov 2021 13:24
 Operator : SY/MD
 Sample : M4821-21
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 H4636

Manual Integrations
 APPROVED

Reviewed By : John Carlone 11/30/2021
 Supervised By : Mahesh Dadoda 11/30/2021

Quant Time: Nov 30 00:22:16 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR112321WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Nov 30 00:21:36 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.613	114	118508	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	116135	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	54586	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	45014	4.627	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	92.600%	
7) Chloroethane-d5	1.565	69	36038	4.713	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	94.200%	
11) 1,1-Dichloroethene-d2	2.105	63	64521	3.763	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	75.200%	
20) 2-Butanone-d5	3.912	46	55103m	47.116	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	94.240%	
24) Chloroform-d	4.346	84	85480	5.046	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	101.000%	
26) 1,2-Dichloroethane-d4	5.031	65	39554	4.998	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	100.000%	
32) Benzene-d6	5.047	84	169609	5.361	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	107.200%	
36) 1,2-Dichloropropane-d6	6.066	67	48077	5.421	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	108.400%	
41) Toluene-d8	7.313	98	151363	5.121	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	102.400%	
43) trans-1,3-Dichloroprop...	7.622	79	18255	5.106	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	102.200%	
46) 2-Hexanone-d5	8.088	63	51774	43.589	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	87.180%	
56) 1,1,2,2-Tetrachloroeth...	10.214	84	31358	4.913	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	98.200%	
66) 1,2-Dichlorobenzene-d4	11.622	152	57398	5.948	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	119.000%	
Target Compounds					Qvalue	
13) Acetone	2.198	43	4514m	4.289	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV112921\
Data File : VV023741.D
Acq On : 29 Nov 2021 13:24
Operator : SY/MD
Sample : M4821-21
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
H4636

Manual Integrations
APPROVED

Reviewed By : John Carlone 11/30/2021
Supervised By : Mahesh Dadoda 11/30/2021

Quant Time: Nov 30 00:22:16 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR112321WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Nov 30 00:21:36 2021
Response via : Initial Calibration

