

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW112921\
 Data File : VW023742.D
 Acq On : 29 Nov 2021 13:47
 Operator : SY/MD
 Sample : M4821-22
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Manual Integrations
 APPROVED

Reviewed By : John Carlone 11/30/2021
 Supervised By : Mahesh Dadoda 11/30/2021

Quant Time: Nov 30 00:22:26 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR112321WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Nov 30 00:21:36 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	119676	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	118567	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	55562	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	41351	4.209	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	84.200%
7) Chloroethane-d5	1.564	69	34652	4.487	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	89.800%
11) 1,1-Dichloroethene-d2	2.105	63	62523	3.611	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	72.200%
20) 2-Butanone-d5	3.908	46	54022m	45.741	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	91.480%
24) Chloroform-d	4.346	84	79705	4.659	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.200%
26) 1,2-Dichloroethane-d4	5.031	65	39266	4.913	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.200%
32) Benzene-d6	5.050	84	158084	4.895	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.800%
36) 1,2-Dichloropropane-d6	6.069	67	45555	5.031	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.600%
41) Toluene-d8	7.317	98	142966	4.737	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.800%
43) trans-1,3-Dichloroprop...	7.622	79	16731	4.584	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	91.600%
46) 2-Hexanone-d5	8.092	63	52245	43.083	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	86.160%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	31248	4.796	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.000%
66) 1,2-Dichlorobenzene-d4	11.625	152	53200	5.416	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	108.400%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV112921\
Data File : VV023742.D
Acq On : 29 Nov 2021 13:47
Operator : SY/MD
Sample : M4821-22
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Time: Nov 30 00:22:26 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR112321WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Nov 30 00:21:36 2021
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By : John Carlone 11/30/2021
Supervised By : Mahesh Dadoda 11/30/2021

