

Data Path : Z:\voasrv\HPCHEM1\MSVOA V\Data\VV120219\
 Data File : VV013871.D
 Acq On : 02 Dec 2019 15:12
 Operator : SY/MD
 Sample : VV1202WBL01
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK82

Manual Integrations
 APPROVED

apatel
 12/5/2019 8:35:24 AM

Quant Time: Dec 10 11:22:41 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Dec 03 02:59:26 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	699773	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	637453	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	303532	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	188991	46.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	93.40%
7) Chloroethane-d5	1.58	69	201143	47.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.22%
11) 1,1-Dichloroethene-d2	2.13	63	305673m	34.16	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.32%
21) 2-Butanone-d5	3.92	46	300962	105.65	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.65%
24) Chloroform-d	4.40	84	400602	47.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.26%
26) 1,2-Dichloroethane-d4	5.08	65	263272	48.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.76%
32) Benzene-d6	5.09	84	849258	51.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.82%
36) 1,2-Dichloropropane-d6	6.11	67	251097	50.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.28%
41) Toluene-d8	7.35	98	739303	49.10	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.20%
43) trans-1,3-Dichloropropene-	7.66	79	115212	47.75	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.50%
47) 2-Hexanone-d5	8.13	63	195083	105.37	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.37%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	327360	45.60	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.20%
64) 1,2-Dichlorobenzene-d4	11.67	152	314338	52.73	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.46%

Target Compounds					Ovalue
13) Acetone	2.19	43	8513	2.039 ug/L	91
16) Methylene chloride	2.53	84	4454	0.841 ug/L	89
25) Chloroform	4.42	83	20833	2.175 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA V\Data\VV120219\
Data File : VV013871.D
Acq On : 02 Dec 2019 15:12
Operator : SY/MD
Sample : VV1202WBL01
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 10 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampled :
VBLK82

Manual Integrations
APPROVED

apatel
12/5/2019 8:35:24 AM

Quant Time: Dec 10 11:22:41 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Dec 03 02:59:26 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.039 ug/L

RT: 2.19 min Scan# 341

Delta R.T. 0.00 min

Lab File: VV013871.D

Acq: 02 Dec 2019 15:12

Instrument :

MSVOA_V

ClientSampleId :

VBLK82

Tot Ion: 43 Resp: 8513

Ion Ratio Lower Upper


43 100

58 35.2 0.0 60.8

Manual Integrations
APPROVED




apatel

12/5/2019 8:35:24 AM



Abundance Ion 43.00 (42.70 to 43.70): VV0

Ion 58.00 (57.70 to 58.70): VV0



#16

Methylene chloride

Concen: 0.841 ug/L

RT: 2.53 min Scan# 448

Delta R.T. -0.00 min

Lab File: VV013871.D

Acq: 02 Dec 2019 15:12


Tgt Ion: 84 Resp: 4454

Ion Ratio Lower Upper

84 100

86 56.1 43.9 81.5



49 100.9 79.7 147.9




Abundance Ion 84.00 (83.70 to 84.70): VV0

Ion 86.00 (85.70 to 86.70): VV0

Ion 49.00 (48.70 to 49.70): VV0





#25
 Chloroform
 Concen: 2.175 ug/L
 RT: 4.42 min Scan# 1037
 Delta R.T. 0.00 min
 Lab File: VV013871.D
 Acq: 02 Dec 2019 15:12

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK82

Tot Ion	Ratio	Lower	Upper
83	100		
85	62.1	45.7	84.9

Manual Integrations
 APPROVED

apatel
 12/5/2019 8:35:24 AM

