

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV120220\
 Data File : VV019447.D
 Acq On : 02 Dec 2020 14:30
 Operator : SY/MD
 Sample : L4921-06
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0FW5

Quant Time: Dec 03 06:18:58 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Dec 03 05:50:19 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	390285	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	397174	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	184799	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	148405	38.07	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	76.14%
7) Chloroethane-d5	1.58	69	137986	43.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.98%
11) 1,1-Dichloroethene-d2	2.12	63	238810	34.42	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.84%
21) 2-Butanone-d5	3.89	46	230542	97.04	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.04%
24) Chloroform-d	4.37	84	284651	45.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.34%
26) 1,2-Dichloroethane-d4	5.05	65	199478	48.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.72%
32) Benzene-d6	5.07	84	556727	47.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.82%
36) 1,2-Dichloropropane-d6	6.09	67	191299	48.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.92%
41) Toluene-d8	7.33	98	485191	46.12	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.24%
43) trans-1,3-Dichloropropene-	7.64	79	87340	46.28	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.56%
47) 2-Hexanone-d5	8.11	63	120513	78.28	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	78.28%
57) 1,1,2,2-Tetrachloroethane-	10.23	84	201073	39.76	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	79.52%
64) 1,2-Dichlorobenzene-d4	11.64	152	188444	52.51	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.02%


Target Compounds					Ovalue
3) Chloromethane	1.25	50	2866	0.676 ug/L	95
13) Acetone	2.17	43	15391	8.473 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV120220\
Data File : VV019447.D
Acq On : 02 Dec 2020 14:30
Operator : SY/MD
Sample : L4921-06
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0FW5

Quant Time: Dec 03 06:18:58 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112320WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Dec 03 05:50:19 2020
Response via : Initial Calibration





#3

Chloromethane

Concen: 0.676 ug/L

RT: 1.25 min Scan# 50

Delta R.T. 0.00 min

Lab File: VV019447.D

Acq: 02 Dec 2020 14:30

Instrument :

MSVOA_V

ClientSampleId :





C0FW5

Tot Ion: 50 Resp: 2866

Ion Ratio Lower Upper

50 100

52 36.0 23.0 42.8



#13

Acetone

Concen: 8.473 ug/L

RT: 2.17 min Scan# 336

Delta R.T. -0.00 min

Lab File: VV019447.D

Acq: 02 Dec 2020 14:30

Tgt Ion: 43 Resp: 15391

Ion Ratio Lower Upper

43 100

58 34.8 0.0 66.4

