

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV120220\
 Data File : VV019451.D
 Acq On : 02 Dec 2020 16:11
 Operator : SY/MD
 Sample : L4921-04
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0FW3

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112320WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.315	63	70	83	rVB	236664	231652	13.61%	1.806%
2	1.576	144	151	164	rVB	216773	239769	14.09%	1.869%
3	2.123	311	321	334	rBV	427692	633243	37.20%	4.936%
4	2.524	440	446	455	rVB5	1743	2626	0.15%	0.020%
5	2.595	463	468	470	rBV2	844	763	0.04%	0.006%
6	2.685	495	496	507	rVB6	1183	1069	0.06%	0.008%
7	2.727	507	509	510	rBV	234	90	0.01%	0.001%
8	2.843	542	545	550	rBV3	569	401	0.02%	0.003%
9	2.978	580	587	589	rBV5	783	926	0.05%	0.007%
10	3.023	598	601	605	rBV4	462	323	0.02%	0.003%
11	3.113	627	629	630	rBV	172	55	0.00%	0.000%
12	3.132	631	635	638	rVV2	550	489	0.03%	0.004%
13	3.151	639	641	645	rVB2	761	403	0.02%	0.003%
14	3.180	647	650	652	rVB3	445	223	0.01%	0.002%
15	3.222	660	663	666	rBV3	622	409	0.02%	0.003%
16	3.331	691	697	703	rVB4	560	787	0.05%	0.006%
17	3.357	703	705	708	rBV	287	175	0.01%	0.001%
18	3.409	720	721	725	rBV	250	123	0.01%	0.001%
19	3.428	725	727	728	rBV	185	79	0.00%	0.001%
20	3.512	752	753	754	rVB	209	40	0.00%	0.000%
21	3.528	754	758	765	rVB3	710	784	0.05%	0.006%
22	3.563	767	769	771	rBV	360	188	0.01%	0.001%
23	3.621	784	787	790	rVB2	529	237	0.01%	0.002%
24	3.640	791	793	795	rVB2	246	77	0.00%	0.001%
25	3.676	802	804	805	rVB	249	80	0.00%	0.001%
26	3.695	805	810	812	rBV	560	551	0.03%	0.004%
27	3.756	827	829	831	rBV	172	103	0.01%	0.001%
28	3.782	835	837	840	rVB2	351	175	0.01%	0.001%
29	3.897	859	873	910	rBV2	164797	497026	29.20%	3.874%
30	4.373	1005	1021	1056	rVB	279665	715199	42.02%	5.575%
31	4.717	1126	1128	1131	rVB3	684	259	0.02%	0.002%
32	4.778	1144	1147	1150	rBV2	504	425	0.02%	0.003%
33	4.807	1154	1156	1159	rBV3	475	255	0.01%	0.002%
34	4.827	1159	1162	1165	rVB3	567	246	0.01%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV120220\
 Data File : VV019451.D
 Acq On : 02 Dec 2020 16:11
 Operator : SY/MD
 Sample : L4921-04
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0FW3

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112320WMA.M
 Title : VOC Analysis

35	4.868	1172	1175	1181	rBV4	551	578	0.03%	0.005%
36	4.897	1181	1184	1186	rBV4	386	263	0.02%	0.002%
37	4.936	1193	1196	1199	rBV2	335	269	0.02%	0.002%
38	4.971	1204	1207	1209	rBV3	353	155	0.01%	0.001%
39	4.987	1210	1212	1217	rVB2	604	283	0.02%	0.002%
40	5.068	1219	1237	1266	rBV2	654139	1702077	100.00%	13.267%
41	5.370	1329	1331	1333	rBV2	582	279	0.02%	0.002%
42	5.524	1377	1379	1381	rBV2	440	142	0.01%	0.001%
43	5.537	1381	1383	1386	rVB2	524	155	0.01%	0.001%
44	5.553	1386	1388	1390	rBV2	410	196	0.01%	0.002%
45	5.640	1402	1415	1445	rBV	482456	965535	56.73%	7.526%
46	5.862	1482	1484	1485	rBV2	615	264	0.02%	0.002%
47	5.926	1493	1504	1521	rBV2	61840	125835	7.39%	0.981%
48	6.090	1542	1555	1576	rBV	383332	781057	45.89%	6.088%
49	6.399	1647	1651	1652	rBV3	1068	705	0.04%	0.005%
50	6.441	1659	1664	1665	rBV3	692	473	0.03%	0.004%
51	6.479	1674	1676	1677	rBV	467	184	0.01%	0.001%
52	6.540	1692	1695	1696	rBV2	587	258	0.02%	0.002%
53	6.598	1711	1713	1716	rVB3	781	328	0.02%	0.003%
54	6.791	1770	1773	1775	rBV4	544	381	0.02%	0.003%
55	6.827	1780	1784	1785	rBV	488	305	0.02%	0.002%
56	6.926	1812	1815	1816	rBV	370	181	0.01%	0.001%
57	6.965	1825	1827	1828	rBV	319	160	0.01%	0.001%
58	7.007	1828	1840	1864	rVV	199840	370157	21.75%	2.885%
59	7.335	1930	1942	1972	rBV	737627	1288490	75.70%	10.043%
60	7.640	2027	2037	2061	rBV	145012	258118	15.16%	2.012%
61	8.106	2170	2182	2224	rBV2	384691	818798	48.11%	6.382%
62	8.608	2336	2338	2340	rBV2	455	292	0.02%	0.002%
63	8.627	2342	2344	2350	rVB6	900	699	0.04%	0.005%
64	8.871	2408	2420	2440	rBV	754384	1221105	71.74%	9.518%
65	9.222	2526	2529	2531	rBV	710	479	0.03%	0.004%
66	9.421	2586	2591	2593	rBV2	668	674	0.04%	0.005%
67	9.595	2643	2645	2649	rVB2	812	537	0.03%	0.004%
68	9.640	2656	2659	2664	rBV3	590	525	0.03%	0.004%
69	9.698	2675	2677	2679	rVB2	430	136	0.01%	0.001%
70	9.727	2683	2686	2688	rBV2	408	204	0.01%	0.002%
71	10.019	2774	2777	2780	rBV	631	313	0.02%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV120220\
 Data File : VV019451.D
 Acq On : 02 Dec 2020 16:11
 Operator : SY/MD
 Sample : L4921-04
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0FW3

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112320WMA.M
 Title : VOC Analysis

72	10.039	2780	2783	2784	rBV3	702	446	0.03%	0.003%
73	10.167	2820	2823	2827	rBV3	516	490	0.03%	0.004%
74	10.235	2832	2844	2867	rVV	413699	650871	38.24%	5.073%
75	10.444	2906	2909	2911	rBV	557	364	0.02%	0.003%
76	10.498	2921	2926	2930	rBV4	672	612	0.04%	0.005%
77	10.682	2981	2983	2985	rBV	455	276	0.02%	0.002%
78	10.858	3035	3038	3042	rBV2	513	315	0.02%	0.002%
79	10.887	3045	3047	3050	rVB	419	220	0.01%	0.002%
80	10.929	3058	3060	3061	rBV	315	107	0.01%	0.001%
81	11.045	3094	3096	3101	rVB3	482	367	0.02%	0.003%
82	11.270	3154	3166	3193	rBV	732071	1129752	66.37%	8.806%
83	11.643	3271	3282	3305	rBV	730419	1171095	68.80%	9.128%
84	12.415	3520	3522	3525	rBV2	695	496	0.03%	0.004%
85	13.289	3789	3794	3804	rVB6	2896	4086	0.24%	0.032%


Sum of corrected areas: 12829337

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV120220\
Data File : VV019451.D
Acq On : 02 Dec 2020 16:11
Operator : SY/MD
Sample : L4921-04
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0FW3

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112320WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV120220\
Data File : VV019451.D
Acq On : 02 Dec 2020 16:11
Operator : SY/MD
Sample : L4921-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0FW3

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112320WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV120220\
Data File : VV019451.D
Acq On : 02 Dec 2020 16:11
Operator : SY/MD
Sample : L4921-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0FW3

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112320WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc