

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV120319\
 Data File : VV013885.D
 Acq On : 03 Dec 2019 11:47
 Operator : SY/MD
 Sample : K6007-23
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK02

Quant Time: Dec 04 01:57:34 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Dec 04 01:11:22 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	656784	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	651989	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	268510	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	166233	43.76	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.52%
7) Chloroethane-d5	1.57	69	183658	46.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.64%
11) 1,1-Dichloroethene-d2	2.12	63	284926	33.92	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.84%
21) 2-Butanone-d5	3.92	46	252791	94.55	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.55%
24) Chloroform-d	4.39	84	371516	46.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.14%
26) 1,2-Dichloroethane-d4	5.07	65	241541	47.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.56%
32) Benzene-d6	5.09	84	762716	45.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.30%
36) 1,2-Dichloropropane-d6	6.11	67	247504	48.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.60%
41) Toluene-d8	7.35	98	703652	45.69	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.38%
43) trans-1,3-Dichloropropene-	7.66	79	106689	43.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.46%
47) 2-Hexanone-d5	8.13	63	137769	72.75	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	72.75%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	308964	42.07	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	84.14%
64) 1,2-Dichlorobenzene-d4	11.67	152	275796	52.30	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.60%

Target Compounds					Ovalue
13) Acetone	2.18	43	7267	1.855 ug/L	83

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV120319\
Data File : VV013885.D
Acq On : 03 Dec 2019 11:47
Operator : SY/MD
Sample : K6007-23
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK02

Quant Time: Dec 04 01:57:34 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 04 01:11:22 2019
Response via : Initial Calibration

