

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV120319\
 Data File : VV013893.D
 Acq On : 03 Dec 2019 15:03
 Operator : SY/MD
 Sample : K6086-05
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFLZ0

Quant Time: Dec 04 03:14:47 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Dec 04 01:11:22 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	630140	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	588261	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	234480	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	173970	47.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	95.48%
7) Chloroethane-d5	1.57	69	183600	48.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.52%
11) 1,1-Dichloroethene-d2	2.13	63	280965	34.86	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.72%
21) 2-Butanone-d5	3.92	46	258656	100.83	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.83%
24) Chloroform-d	4.40	84	381312	49.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.64%
26) 1,2-Dichloroethane-d4	5.08	65	247801	51.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.18%
32) Benzene-d6	5.09	84	768173	50.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.78%
36) 1,2-Dichloropropane-d6	6.11	67	237357	51.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.74%
41) Toluene-d8	7.35	98	658453	47.38	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.76%
43) trans-1,3-Dichloropropene-	7.66	79	103216	46.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.72%
47) 2-Hexanone-d5	8.13	63	152383	89.19	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	89.19%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	311855	47.07	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.14%
64) 1,2-Dichlorobenzene-d4	11.67	152	262211	56.94	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	113.88%


Target Compounds					Ovalue
13) Acetone	2.18	43	4683	1.246 ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV120319\
Data File : VV013893.D
Acq On : 03 Dec 2019 15:03
Operator : SY/MD
Sample : K6086-05
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFLZ0

Quant Time: Dec 04 03:14:47 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 04 01:11:22 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.246 ug/L

RT: 2.18 min Scan# 340

Delta R.T. 0.00 min

Lab File: VV013893.D

Acq: 03 Dec 2019 15:03


Instrument :
MSVOA_V
ClientSampleId :
BFLZ0

Tot Ion: 43 Resp: 4683

Ion Ratio Lower Upper

43 100

58 36.3 0.0 60.8



Abundance Ion 43.00 (42.70 to 43.70): VV0

Ion 58.00 (57.70 to 58.70): VV0

