

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV120420\
 Data File : VV019478.D
 Acq On : 04 Dec 2020 15:05
 Operator : SY/MD
 Sample : L4955-02
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4D2

Quant Time: Dec 05 03:02:38 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 05 02:40:32 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	305823	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	309593	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	139497	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	98480	32.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	64.48%
7) Chloroethane-d5	1.58	69	95022	38.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	76.44%
11) 1,1-Dichloroethene-d2	2.12	63	171131	31.48	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.96%
21) 2-Butanone-d5	3.89	46	197932	106.32	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.32%
24) Chloroform-d	4.37	84	235840	47.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.52%
26) 1,2-Dichloroethane-d4	5.05	65	170683	52.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.62%
32) Benzene-d6	5.07	84	453870	49.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.18%
36) 1,2-Dichloropropane-d6	6.09	67	159843	52.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.96%
41) Toluene-d8	7.33	98	380477	46.40	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.80%
43) trans-1,3-Dichloropropene-	7.64	79	67659	45.99	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.98%
47) 2-Hexanone-d5	8.11	63	94936	79.12	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	79.12%
57) 1,1,2,2-Tetrachloroethane-	10.23	84	165478	41.98	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	83.96%
64) 1,2-Dichlorobenzene-d4	11.65	152	142372	52.55	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.10%

Target Compounds					Ovalue
13) Acetone	2.17	43	5436	3.819 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV120420\
Data File : VV019478.D
Acq On : 04 Dec 2020 15:05
Operator : SY/MD
Sample : L4955-02
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4D2

Quant Time: Dec 05 03:02:38 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM112320WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 05 02:40:32 2020
Response via : Initial Calibration

