

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV120519\
 Data File : VV013910.D
 Acq On : 05 Dec 2019 11:41
 Operator : SY/MD
 Sample : VV1205WBL01
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK85

Quant Time: Dec 06 04:14:47 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 06 04:06:40 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	615452	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	582479	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	239345	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	158172	44.44	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.88%
7) Chloroethane-d5	1.56	69	172882	46.53	ug/L	-0.02
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.06%
11) 1,1-Dichloroethene-d2	2.12	63	270459	34.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.72%
21) 2-Butanone-d5	3.92	46	275737	110.06	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	110.06%
24) Chloroform-d	4.39	84	369671	49.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.90%
26) 1,2-Dichloroethane-d4	5.07	65	239664	50.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.20%
32) Benzene-d6	5.09	84	734594	48.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.34%
36) 1,2-Dichloropropane-d6	6.11	67	238629	52.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	105.34%
41) Toluene-d8	7.35	98	641918	46.65	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.30%
43) trans-1,3-Dichloropropene-	7.66	79	101658	46.11	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.22%
47) 2-Hexanone-d5	8.13	63	167611	99.08	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.08%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	306615	46.74	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.48%
64) 1,2-Dichlorobenzene-d4	11.67	152	261031	55.53	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	111.06%


Target Compounds					Ovalue
13) Acetone	2.18	43	6189	1.686 ug/L	71


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV120519\
Data File : VV013910.D
Acq On : 05 Dec 2019 11:41
Operator : SY/MD
Sample : VV1205WBL01
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK85

Quant Time: Dec 06 04:14:47 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 06 04:06:40 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.686 ug/L

RT: 2.18 min Scan# 340

Delta R.T. 0.00 min

Lab File: VV013910.D

Acq: 05 Dec 2019 11:41


Instrument :
MSVOA_V
ClientSampleId :
VBLK85

Tot Ion: 43 Resp: 6189

Ion Ratio Lower Upper

43 100

58 46.4 0.0 60.8



Abundance Ion 43.00 (42.70 to 43.70): VV0

Ion 58.00 (57.70 to 58.70): VV0

