

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV120519\
 Data File : VV013917.D
 Acq On : 05 Dec 2019 15:36
 Operator : SY/MD
 Sample : K6165-07
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBBW2

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.315	65	70	81	rVB	210457	208160	11.42%	1.452%
2	2.119	312	320	335	rVB	435091	608629	33.40%	4.245%
3	2.595	465	468	472	rBV3	1691	1474	0.08%	0.010%
4	2.646	472	484	497	rVV2	20356	44540	2.44%	0.311%
5	2.830	539	541	544	rVB4	1619	707	0.04%	0.005%
6	2.846	544	546	549	rVB2	1711	934	0.05%	0.007%
7	2.865	549	552	553	rBV3	700	350	0.02%	0.002%
8	2.884	555	558	560	rBV3	1150	527	0.03%	0.004%
9	2.907	564	565	569	rVB4	593	338	0.02%	0.002%
10	2.929	569	572	573	rBV3	726	385	0.02%	0.003%
11	2.942	573	576	578	rBV4	1075	605	0.03%	0.004%
12	2.955	578	580	582	rBV3	1105	674	0.04%	0.005%
13	2.997	591	593	597	rVB4	1517	633	0.03%	0.004%
14	3.026	600	602	606	rBV4	1022	589	0.03%	0.004%
15	3.103	624	626	628	rBV3	1262	686	0.04%	0.005%
16	3.190	648	653	655	rBV4	1115	1003	0.06%	0.007%
17	3.270	675	678	679	rBV3	845	366	0.02%	0.003%
18	3.363	705	707	709	rVB3	1193	508	0.03%	0.004%
19	3.383	711	713	718	rVV4	1219	782	0.04%	0.005%
20	3.408	718	721	722	rVV2	1106	601	0.03%	0.004%
21	3.425	724	726	732	rVB4	1353	1164	0.06%	0.008%
22	3.453	732	735	737	rBV5	1095	663	0.04%	0.005%
23	3.473	737	741	743	rVV3	1202	652	0.04%	0.005%
24	3.486	743	745	746	rVV	679	321	0.02%	0.002%
25	3.495	746	748	752	rVB2	1507	779	0.04%	0.005%
26	3.511	752	753	757	rBV3	1167	684	0.04%	0.005%
27	3.543	757	763	765	rBV4	1185	1154	0.06%	0.008%
28	3.572	769	772	774	rBV4	1258	688	0.04%	0.005%
29	3.605	780	782	784	rBV3	723	389	0.02%	0.003%
30	3.630	787	790	792	rBV3	1068	573	0.03%	0.004%
31	3.646	792	795	798	rVB3	743	562	0.03%	0.004%
32	3.666	798	801	803	rBV3	1744	1067	0.06%	0.007%
33	3.682	803	806	809	rBV2	1143	782	0.04%	0.005%
34	3.720	817	818	820	rVB2	795	295	0.02%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV120519\
 Data File : VV013917.D
 Acq On : 05 Dec 2019 15:36
 Operator : SY/MD
 Sample : K6165-07
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBBW2

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Title : VOC Analysis

35	3.743	820	825	826	rBV5	2326	1597	0.09%	0.011%
36	3.920	869	880	914	rBV	151242	442742	24.30%	3.088%
37	4.312	999	1002	1005	rVB3	1456	865	0.05%	0.006%
38	4.392	1009	1027	1058	rBV3	343587	1028398	56.44%	7.173%
39	4.939	1196	1197	1200	rVB2	1080	408	0.02%	0.003%
40	4.955	1200	1202	1206	rBV5	867	608	0.03%	0.004%
41	5.010	1217	1219	1220	rBV2	542	196	0.01%	0.001%
42	5.087	1226	1243	1270	rBV2	718878	1822200	100.00%	12.709%
43	5.656	1406	1420	1445	rBV	581518	1147424	62.97%	8.003%
44	6.109	1549	1561	1587	rVB	406695	820196	45.01%	5.721%
45	6.486	1673	1678	1679	rBV4	1263	1032	0.06%	0.007%
46	6.498	1679	1682	1685	rVV4	1211	980	0.05%	0.007%
47	6.550	1687	1698	1711	rVV3	66861	126822	6.96%	0.885%
48	6.756	1760	1762	1765	rBV4	1383	794	0.04%	0.006%
49	6.820	1780	1782	1785	rVB3	1859	1009	0.06%	0.007%
50	6.846	1785	1790	1795	rBV7	1468	1755	0.10%	0.012%
51	6.868	1795	1797	1798	rBV2	765	431	0.02%	0.003%
52	6.974	1828	1830	1831	rBV2	715	320	0.02%	0.002%
53	7.022	1832	1845	1865	rVV	206855	376368	20.65%	2.625%
54	7.354	1936	1948	1966	rBV	760844	1311279	71.96%	9.146%
55	7.659	2033	2043	2063	rBV	152058	274661	15.07%	1.916%
56	8.129	2178	2189	2219	rBV2	516113	1065477	58.47%	7.431%
57	8.829	2405	2407	2410	rBV3	1440	834	0.05%	0.006%
58	8.891	2415	2426	2445	rVV	963215	1495149	82.05%	10.428%
59	9.379	2576	2578	2581	rVB3	1482	835	0.05%	0.006%
60	9.408	2585	2587	2593	rBV6	1012	1208	0.07%	0.008%
61	9.463	2600	2604	2606	rBV5	2506	1836	0.10%	0.013%
62	9.852	2717	2725	2738	rBV5	16141	33251	1.82%	0.232%
63	10.067	2790	2792	2797	rBV4	1685	1392	0.08%	0.010%
64	10.254	2839	2850	2867	rBV	678196	1057673	58.04%	7.377%
65	10.482	2917	2921	2922	rBV4	1635	1158	0.06%	0.008%
66	10.620	2962	2964	2968	rVB4	2047	1422	0.08%	0.010%
67	10.656	2973	2975	2980	rVB5	1638	899	0.05%	0.006%
68	10.685	2980	2984	2985	rBV4	1693	1040	0.06%	0.007%
69	10.775	3008	3012	3013	rBV4	1324	869	0.05%	0.006%
70	10.903	3051	3052	3055	rVB2	1549	366	0.02%	0.003%
71	10.939	3060	3063	3065	rBV4	2015	1175	0.06%	0.008%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV120519\
Data File : VV013917.D
Acq On : 05 Dec 2019 15:36
Operator : SY/MD
Sample : K6165-07
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBBW2

Integration Parameters: LSCINT.P

Integrator: RTE
Smoothing : OFF
Sampling : 1
Start Thrs: 0.2
Stop Thrs : 0

Filtering: 5
Min Area: 0 % of largest Peak
Max Peaks: 100
Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Title : VOC Analysis

72	11.000	3077	3082	3085	rBV7	2171	2127	0.12%	0.015%
73	11.289	3161	3172	3192	rBV	740827	1117845	61.35%	7.796%
74	11.521	3240	3244	3245	rBV3	2235	1485	0.08%	0.010%
75	11.665	3278	3289	3310	rVB	828832	1300780	71.39%	9.072%
76	13.054	3719	3721	3723	rBV3	1399	673	0.04%	0.005%
77	13.279	3789	3791	3794	rBV3	1385	759	0.04%	0.005%
78	13.569	3878	3881	3886	rBV6	1591	1523	0.08%	0.011%
79	13.620	3894	3897	3900	rVB3	1510	923	0.05%	0.006%
80	13.855	3967	3970	3972	rBV4	1355	831	0.05%	0.006%
81	13.900	3980	3984	3988	rBV6	2618	2384	0.13%	0.017%
82	13.958	3999	4002	4004	rBV4	1205	654	0.04%	0.005%
83	14.379	4131	4133	4136	rBV4	1554	920	0.05%	0.006%


Sum of corrected areas: 14337837

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV120519\
Data File : VV013917.D
Acq On : 05 Dec 2019 15:36
Operator : SY/MD
Sample : K6165-07
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBBW2

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV120519\
Data File : VV013917.D
Acq On : 05 Dec 2019 15:36
Operator : SY/MD
Sample : K6165-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBBW2

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV120519\
Data File : VV013917.D
Acq On : 05 Dec 2019 15:36
Operator : SY/MD
Sample : K6165-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBBW2

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc