

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW120621\
 Data File : VW023798.D
 Acq On : 06 Dec 2021 15:21
 Operator : SY/MD
 Sample : M4879-06
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0G34

Quant Time: Dec 07 05:31:17 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR112321WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Dec 02 02:08:23 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	160705	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	152041	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	76441	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	6402	0.485	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	9.800%#
7) Chloroethane-d5	1.568	69	9532	0.919	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	18.400%#
11) 1,1-Dichloroethene-d2	2.108	63	5359	0.230	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	4.600%#
20) 2-Butanone-d5	3.889	46	121358	76.521	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	153.040%#
24) Chloroform-d	4.352	84	41045	1.787	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	35.800%#
26) 1,2-Dichloroethane-d4	5.037	65	22560	2.102	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	42.000%#
32) Benzene-d6	5.053	84	34443	0.832	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	16.600%#
36) 1,2-Dichloropropane-d6	6.072	67	21269	1.832	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	36.600%#
41) Toluene-d8	7.323	98	16791	0.434	ug/L	0.01
Spiked Amount	5.000	Range	70 - 130	Recovery	=	8.600%#
43) trans-1,3-Dichloroprop...	7.632	79	7314	1.563	ug/L	0.01
Spiked Amount	5.000	Range	55 - 130	Recovery	=	31.200%#
46) 2-Hexanone-d5	8.088	63	92756	59.650	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	119.300%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	33533	4.013	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	80.200%
66) 1,2-Dichlorobenzene-d4	11.625	152	24100	1.783	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	35.600%#
Target Compounds						Qvalue
47) Tetrachloroethene	7.979	164	9206	0.871	ug/L	97
52) Ethylbenzene	9.021	91	5689	0.116	ug/L	94
53) m,p-xylene	9.146	106	3752	0.192	ug/L	90
62) 1,3,5-Trimethylbenzene	10.542	105	2937	0.077	ug/L	94
63) 1,2,4-Trimethylbenzene	10.914	105	14439	0.384	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV120621\
Data File : VV023798.D
Acq On : 06 Dec 2021 15:21
Operator : SY/MD
Sample : M4879-06
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0G34

Quant Time: Dec 07 05:31:17 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR112321WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Dec 02 02:08:23 2021
Response via : Initial Calibration

