

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV120720\
 Data File : VV019500.D
 Acq On : 07 Dec 2020 19:19
 Operator : SY/MD
 Sample : L4955-08ME 5X
 Misc : 5.91g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4K3ME

Quant Time: Dec 08 03:49:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120720WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Dec 08 03:05:02 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	275790	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	279739	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	126848	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	54289	31.62	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	63.24%
7) Chloroethane-d5	1.55	69	95103	54.60	ug/L	-0.03
Spiked Amount	50.000	Range	70 - 130	Recovery	=	109.20%
11) 1,1-Dichloroethene-d2	2.11	63	176316	44.38	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.76%
21) 2-Butanone-d5	3.90	46	150872	114.94	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	114.94%
24) Chloroform-d	4.37	84	217059	54.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	109.14%
26) 1,2-Dichloroethane-d4	5.05	65	157697	59.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	118.00%
32) Benzene-d6	5.07	84	433753	55.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	110.96%
36) 1,2-Dichloropropane-d6	6.09	67	148222	55.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	111.36%
41) Toluene-d8	7.33	98	360238	53.39	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	106.78%
43) trans-1,3-Dichloropropene-	7.64	79	65440	51.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	103.04%
47) 2-Hexanone-d5	8.11	63	90758	116.25	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	116.25%
57) 1,1,2,2-Tetrachloroethane-	10.23	84	170144	53.86	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	107.72%
64) 1,2-Dichlorobenzene-d4	11.65	152	139472	60.61	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	121.22%#

Target Compounds					Ovalue
34) Trichloroethene	5.94	95	23641	10.626 ug/L	99
46) Tetrachloroethene	7.99	164	352717	263.181 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV120720\
Data File : VV019500.D
Acq On : 07 Dec 2020 19:19
Operator : SY/MD
Sample : L4955-08ME 5X
Misc : 5.91g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4K3ME

Quant Time: Dec 08 03:49:28 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120720WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Dec 08 03:05:02 2020
Response via : Initial Calibration

