

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV120720\
 Data File : VV019493.D
 Acq On : 07 Dec 2020 15:55
 Operator : SY/MD
 Sample : VV1207WBL01
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK95

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120720WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.315	64	70	85	rVB	191690	195065	13.06%	1.807%
2	1.576	145	151	164	rVB	174163	200053	13.39%	1.853%
3	2.122	312	321	342	rVB	353686	536399	35.91%	4.968%
4	2.878	554	556	557	rBV2	628	242	0.02%	0.002%
5	3.048	608	609	610	rBV2	496	141	0.01%	0.001%
6	3.151	638	641	642	rBV3	677	364	0.02%	0.003%
7	3.196	651	655	657	rBV3	938	540	0.04%	0.005%
8	3.212	658	660	663	rBV3	512	308	0.02%	0.003%
9	3.312	688	691	693	rBV3	1252	633	0.04%	0.006%
10	3.392	715	716	719	rBV2	603	295	0.02%	0.003%
11	3.412	719	722	724	rBV3	1010	650	0.04%	0.006%
12	3.521	754	756	759	rBV	603	253	0.02%	0.002%
13	3.556	765	767	769	rBV2	506	247	0.02%	0.002%
14	3.569	769	771	772	rBV2	400	132	0.01%	0.001%
15	3.605	780	782	786	rBV3	494	315	0.02%	0.003%
16	3.621	786	787	789	rVB	320	73	0.00%	0.001%
17	3.640	791	793	795	rVV2	575	212	0.01%	0.002%
18	3.714	812	816	820	rVB5	1278	1203	0.08%	0.011%
19	3.733	820	822	823	rBV2	480	192	0.01%	0.002%
20	3.749	824	827	828	rBV3	903	442	0.03%	0.004%
21	3.778	834	836	840	rVB2	597	309	0.02%	0.003%
22	3.900	864	874	901	rBV	93825	261336	17.50%	2.420%
23	4.277	989	991	994	rBV2	1194	567	0.04%	0.005%
24	4.296	994	997	1000	rBV5	950	762	0.05%	0.007%
25	4.373	1005	1021	1050	rVV	240199	593703	39.75%	5.499%
26	4.698	1118	1122	1123	rBV4	1108	874	0.06%	0.008%
27	4.804	1152	1155	1156	rBV2	695	439	0.03%	0.004%
28	4.852	1168	1170	1175	rBV3	456	351	0.02%	0.003%
29	4.875	1175	1177	1178	rBV2	680	266	0.02%	0.002%
30	5.068	1221	1237	1263	rBV2	576832	1493585	100.00%	13.833%
31	5.640	1402	1415	1436	rBV	428468	860239	57.60%	7.967%
32	5.926	1496	1504	1520	rVB	41107	81434	5.45%	0.754%
33	6.090	1542	1555	1578	rBV	341080	700728	46.92%	6.490%
34	6.482	1675	1677	1678	rBV2	544	197	0.01%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV120720\
 Data File : VV019493.D
 Acq On : 07 Dec 2020 15:55
 Operator : SY/MD
 Sample : VV1207WBL01
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK95

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120720WMA.M
 Title : VOC Analysis

35	6.711	1747	1748	1750	rBV2	773	312	0.02%	0.003%
36	6.769	1760	1766	1769	rBV7	765	809	0.05%	0.007%
37	6.788	1771	1772	1774	rBV2	599	262	0.02%	0.002%
38	6.849	1787	1791	1795	rVB4	676	610	0.04%	0.006%
39	6.884	1795	1802	1805	rBV7	970	1181	0.08%	0.011%
40	7.006	1828	1840	1866	rBV	179858	339023	22.70%	3.140%
41	7.334	1930	1942	1964	rBV	651210	1124639	75.30%	10.416%
42	7.640	2027	2037	2060	rBV	128917	232784	15.59%	2.156%
43	8.106	2171	2182	2222	rBV2	272514	570365	38.19%	5.282%
44	8.759	2383	2385	2387	rBV3	943	631	0.04%	0.006%
45	8.781	2390	2392	2395	rBV3	715	559	0.04%	0.005%
46	8.871	2408	2420	2442	rBV	664162	1084456	72.61%	10.044%
47	9.212	2525	2526	2527	rBV	579	193	0.01%	0.002%
48	9.270	2538	2544	2545	rBV3	1188	1184	0.08%	0.011%
49	9.315	2554	2558	2559	rBV2	994	588	0.04%	0.005%
50	9.534	2623	2626	2629	rBV4	793	468	0.03%	0.004%
51	9.572	2633	2638	2640	rBV4	1040	865	0.06%	0.008%
52	9.656	2661	2664	2667	rBV2	948	694	0.05%	0.006%
53	9.817	2712	2714	2716	rVB2	814	298	0.02%	0.003%
54	9.852	2716	2725	2728	rBV8	1072	1552	0.10%	0.014%
55	9.910	2741	2743	2746	rBV2	828	483	0.03%	0.004%
56	10.032	2779	2781	2784	rBV3	955	515	0.03%	0.005%
57	10.164	2820	2822	2826	rBV2	745	547	0.04%	0.005%
58	10.235	2833	2844	2861	rBV	351018	558470	37.39%	5.172%
59	10.469	2914	2917	2919	rBV3	918	340	0.02%	0.003%
60	10.482	2919	2921	2922	rBV2	694	306	0.02%	0.003%
61	10.556	2941	2944	2946	rBV4	1436	1027	0.07%	0.010%
62	10.714	2991	2993	2995	rBV2	899	329	0.02%	0.003%
63	10.746	3001	3003	3005	rBV3	502	274	0.02%	0.003%
64	10.807	3018	3022	3024	rBV3	1210	692	0.05%	0.006%
65	10.868	3039	3041	3047	rVB2	947	475	0.03%	0.004%
66	11.022	3086	3089	3092	rBV3	777	402	0.03%	0.004%
67	11.096	3106	3112	3113	rBV2	919	782	0.05%	0.007%
68	11.132	3118	3123	3126	rBV5	1045	1261	0.08%	0.012%
69	11.270	3154	3166	3193	rBV	619587	954550	63.91%	8.841%
70	11.456	3222	3224	3227	rBV3	694	473	0.03%	0.004%
71	11.643	3271	3282	3301	rBV	618321	966134	64.69%	8.948%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV120720\
Data File : VV019493.D
Acq On : 07 Dec 2020 15:55
Operator : SY/MD
Sample : VV1207WBL01
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK95

Integration Parameters: LSCINT.P

Integrator: RTE
Smoothing : OFF
Sampling : 1
Start Thrs: 0.2
Stop Thrs : 0
Filtering: 5
Min Area: 0 % of largest Peak
Max Peaks: 100
Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120720WMA.M
Title : VOC Analysis

72	11.855	3346	3348	3349	rBV3	664	353	0.02%	0.003%
73	11.894	3358	3360	3363	rBV2	826	385	0.03%	0.004%
74	11.936	3371	3373	3375	rVB3	843	283	0.02%	0.003%
75	12.196	3449	3454	3458	rBV4	778	653	0.04%	0.006%
76	12.669	3597	3601	3610	rVB7	3861	5238	0.35%	0.049%
77	12.775	3631	3634	3635	rBV	439	275	0.02%	0.003%
78	13.148	3748	3750	3752	rBV2	622	261	0.02%	0.002%
79	13.534	3863	3870	3879	rBV5	3368	6164	0.41%	0.057%
80	13.759	3938	3940	3942	rBV2	2282	1401	0.09%	0.013%
81	13.849	3963	3968	3969	rBV4	1046	833	0.06%	0.008%
82	14.106	4046	4048	4049	rBV2	747	429	0.03%	0.004%


Sum of corrected areas: 10797357

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV120720\
Data File : VV019493.D
Acq On : 07 Dec 2020 15:55
Operator : SY/MD
Sample : VV1207WBL01
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK95

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120720WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV120720\
Data File : VV019493.D
Acq On : 07 Dec 2020 15:55
Operator : SY/MD
Sample : VV1207WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK95

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120720WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_V\DATA\VV120720\
Data File : VV019493.D
Acq On : 07 Dec 2020 15:55
Operator : SY/MD
Sample : VV1207WBL01
Misc : 5.0mL/MSV0A_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSV0A_V
ClientSampleId :
VBLK95

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_V\METHOD\SOMVLM120720WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc