


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV120821\
Data File : VV023837.D
Acq On : 08 Dec 2021 15:22
Operator : SY/MD
Sample : M4889-13
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0CM8

Manual IntegrationsAPPROVED

Reviewed By :John Carlone 12/10/2021
Supervised By :Mahesh Dadoda 12/10/2021

Quant Time: Dec 09 00:34:22 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR112321WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Dec 02 02:08:23 2021
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV120821\
 Data File : VV023837.D
 Acq On : 08 Dec 2021 15:22
 Operator : SY/MD
 Sample : M4889-13
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0CM8

Manual IntegrationsAPPROVED

Quant Time: Dec 09 00:34:22 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR112321WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Dec 02 02:08:23 2021
 Response via : Initial Calibration

Reviewed By :John Carlone 12/10/2021
 Supervised By :Mahesh Dadoda 12/10/2021



TIC: VV023837.D\data.ms

(20) 2-Butanone-d5 (S)

3.899min (-0.010) 33.07 ug/L

response 44826

Ion	Exp%	Act%
46.10	100.00	100.00
77.10	9.40	27.30#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV120821\
 Data File : VV023837.D
 Acq On : 08 Dec 2021 15:22
 Operator : SY/MD
 Sample : M4889-13
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0CM8

Manual IntegrationsAPPROVED

Quant Time: Dec 09 00:34:22 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR112321WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Dec 02 02:08:23 2021
 Response via : Initial Calibration

Reviewed By :John Carlone 12/10/2021
 Supervised By :Mahesh Dadoda 12/10/2021



TIC: VV023837.D\data.ms

(20) 2-Butanone-d5 (S)

3.899min (-0.010) 44.17 ug/L m

response 59879

Ion	Exp%	Act%
46.10	100.00	100.00
77.10	9.40	20.43#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV120821\
 Data File : VV023837.D
 Acq On : 08 Dec 2021 15:22
 Operator : SY/MD
 Sample : M4889-13
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0CM8

Manual Integrations APPROVED

Reviewed By : John Carlone 12/10/2021
 Supervised By : Mahesh Dadoda 12/10/2021

Quant Time: Dec 09 00:34:22 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR112321WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Dec 02 02:08:23 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	5.613	114	137356	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	129309	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	67007	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	46599	4.133	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	82.600%	
7) Chloroethane-d5	1.568	69	36253	4.090	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	81.800%	
11) 1,1-Dichloroethene-d2	2.108	63	60326	3.036	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	60.800%	
20) 2-Butanone-d5	3.899	46	59879m	44.174	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	88.340%	
24) Chloroform-d	4.343	84	83493	4.252	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	85.000%	
26) 1,2-Dichloroethane-d4	5.027	65	39768	4.335	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	86.800%	
32) Benzene-d6	5.047	84	158138	4.490	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	89.800%	
36) 1,2-Dichloropropane-d6	6.066	67	46063	4.664	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	93.200%	
41) Toluene-d8	7.313	98	138636	4.212	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	84.200%	
43) trans-1,3-Dichloroprop...	7.622	79	18984	4.769	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	95.400%	
46) 2-Hexanone-d5	8.088	63	76777	58.054	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	116.100%	
56) 1,1,2,2-Tetrachloroeth...	10.214	84	32868	4.625	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	92.600%	
66) 1,2-Dichlorobenzene-d4	11.622	152	57147	4.824	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	96.400%	
Target Compounds						
42) Toluene	7.391	91	2579	0.065	ug/L	78

(#) = qualifier out of range (m) = manual integration (+) = signals summed