

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW120823\
 Data File : VW033184.D
 Acq On : 08 Dec 2023 12:46
 Operator : SY/MD
 Sample : VIBLK260
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VIBLK260

Quant Time: Dec 08 22:00:03 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120123WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 08 21:51:12 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	255434	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	258965	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	132711	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.281	65	57896	37.915	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	75.840%		
7) Chloroethane-d5	1.532	69	48975	46.031	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	92.060%		
11) 1,1-Dichloroethene-d2	2.063	65	24448	42.086	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	84.180%		
21) 2-Butanone-d5	3.780	46	71569	94.366	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	94.370%		
24) Chloroform-d	4.249	84	153690	47.427	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	94.860%		
26) 1,2-Dichloroethane-d4	4.940	65	106228	52.725	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	105.460%		
32) Benzene-d6	4.960	84	289411	47.784	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	95.560%		
36) 1,2-Dichloropropane-d6	5.989	67	79305	48.699	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	97.400%		
41) Toluene-d8	7.243	98	267528	46.304	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	92.600%		
43) trans-1,3-Dichloroprop...	7.551	79	45681	44.361	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	88.720%		
47) 2-Hexanone-d5	8.024	63	59883	91.534	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	91.530%		
56) 1,1,2,2-Tetrachloroeth...	10.152	84	109722	47.397	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	94.800%		
66) 1,2-Dichlorobenzene-d4	11.561	152	124110	52.561	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	105.120%		
Target Compounds						Qvalue
46) Tetrachloroethene	7.908	164	9334	5.538	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV120823\
Data File : VV033184.D
Acq On : 08 Dec 2023 12:46
Operator : SY/MD
Sample : VIBLK260
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VIBLK260

Quant Time: Dec 08 22:00:03 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120123WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 08 21:51:12 2023
Response via : Initial Calibration

