

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW120823\
 Data File : VW033194.D
 Acq On : 08 Dec 2023 16:39
 Operator : SY/MD
 Sample : 05689-17
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0GC7

Quant Time: Dec 08 22:02:12 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120123WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 08 21:51:12 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	270817	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	269712	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	138835	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	67312	41.578	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.160%
7) Chloroethane-d5	1.532	69	52541	46.578	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.160%
11) 1,1-Dichloroethene-d2	2.060	65	28546	46.350	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.700%
21) 2-Butanone-d5	3.780	46	78845	98.054	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.050%
24) Chloroform-d	4.249	84	161746	47.078	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.160%
26) 1,2-Dichloroethane-d4	4.941	65	106817	50.006	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.020%
32) Benzene-d6	4.960	84	302863	48.013	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.020%
36) 1,2-Dichloropropane-d6	5.989	67	81516	48.062	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.120%
41) Toluene-d8	7.243	98	280192	46.563	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.120%
43) trans-1,3-Dichloroprop...	7.551	79	47385	44.182	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.360%
47) 2-Hexanone-d5	8.024	63	64974	95.359	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	95.360%
56) 1,1,2,2-Tetrachloroeth...	10.153	84	114645	47.551	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.100%
66) 1,2-Dichlorobenzene-d4	11.561	152	131531	53.247	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	106.500%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV120823\
Data File : VV033194.D
Acq On : 08 Dec 2023 16:39
Operator : SY/MD
Sample : 05689-17
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0GC7

Quant Time: Dec 08 22:02:12 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120123WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 08 21:51:12 2023
Response via : Initial Calibration

