

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW120922\
 Data File : VW029574.D
 Acq On : 10 Dec 2022 12:30
 Operator : SY/MD
 Sample : N5928-06 50X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 68 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EXZ69

Quant Time: Dec 12 00:05:39 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120722WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 10 07:45:47 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.609	114	543105	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.844	117	500215	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.239	152	259381	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	126230	37.955	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	75.920%		
7) Chloroethane-d5	1.561	69	111360	43.912	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	87.820%		
11) 1,1-Dichloroethene-d2	2.105	63	172071	33.172	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	66.340%		
21) 2-Butanone-d5	3.873	46	187799	92.567	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	92.570%		
24) Chloroform-d	4.339	84	251574	40.198	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	80.400%		
26) 1,2-Dichloroethane-d4	5.024	65	151987	42.521	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	85.040%		
32) Benzene-d6	5.043	84	547750	41.442	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	82.880%		
36) 1,2-Dichloropropane-d6	6.063	67	168009	41.614	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	83.220%		
41) Toluene-d8	7.310	98	490860	39.415	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	78.820%#		
43) trans-1,3-Dichloroprop...	7.616	79	65364	32.062	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	64.120%		
47) 2-Hexanone-d5	8.082	63	155952	90.458	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	90.460%		
56) 1,1,2,2-Tetrachloroeth...	10.207	84	239472	41.508	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	83.020%		
66) 1,2-Dichlorobenzene-d4	11.612	152	201851	40.880	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	81.760%		
Target Compounds						Qvalue
30) 1,1,1-Trichloroethane	4.600	97	5445	0.999	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV120922\
Data File : VV029574.D
Acq On : 10 Dec 2022 12:30
Operator : SY/MD
Sample : N5928-06 50X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 68 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EXZ69

Quant Time: Dec 12 00:05:39 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120722WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 10 07:45:47 2022
Response via : Initial Calibration

