

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW120922\
 Data File : VW029535.D
 Acq On : 09 Dec 2022 20:57
 Operator : SY/MD
 Sample : VW1209WBL02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK304

Quant Time: Dec 10 00:41:26 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120722WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 10 00:41:04 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.609	114	498130	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.844	117	461053	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.239	152	242208	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	161095	52.812	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	105.620%
7) Chloroethane-d5	1.565	69	125615	54.005	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	108.020%
11) 1,1-Dichloroethene-d2	2.105	63	195367	41.063	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.120%
21) 2-Butanone-d5	3.870	46	196251	105.467	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.470%
24) Chloroform-d	4.339	84	272252	47.429	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.860%
26) 1,2-Dichloroethane-d4	5.021	65	163175	49.773	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.540%
32) Benzene-d6	5.043	84	598604	49.136	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.280%
36) 1,2-Dichloropropane-d6	6.063	67	179761	48.307	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.620%
41) Toluene-d8	7.307	98	544825	47.464	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.920%
43) trans-1,3-Dichloroprop...	7.612	79	72768	38.725	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.460%
47) 2-Hexanone-d5	8.082	63	166162	104.567	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.570%
56) 1,1,2,2-Tetrachloroeth...	10.204	84	249991	47.012	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.020%
66) 1,2-Dichlorobenzene-d4	11.612	152	214136	46.443	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.880%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV120922\
Data File : VV029535.D
Acq On : 09 Dec 2022 20:57
Operator : SY/MD
Sample : VV1209WBL02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK304

Quant Time: Dec 10 00:41:26 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120722WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 10 00:41:04 2022
Response via : Initial Calibration

