

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121019\
 Data File : VV013979.D
 Acq On : 10 Dec 2019 11:43
 Operator : SY/MD
 Sample : K6170-11
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK01

Quant Time: Dec 11 00:59:55 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Dec 11 00:25:42 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	628067	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	607553	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	252853	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	181050	49.84	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	99.68%
7) Chloroethane-d5	1.57	69	187164	49.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.72%
11) 1,1-Dichloroethene-d2	2.13	63	276677	34.44	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.88%
21) 2-Butanone-d5	3.92	46	242844	94.98	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.98%
24) Chloroform-d	4.40	84	341152	44.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.44%
26) 1,2-Dichloroethane-d4	5.07	65	225935	46.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.48%
32) Benzene-d6	5.09	84	692208	43.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.94%
36) 1,2-Dichloropropane-d6	6.11	67	218302	46.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.38%
41) Toluene-d8	7.36	98	573415	39.95	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	79.90%#
43) trans-1,3-Dichloropropene-	7.66	79	90274	39.26	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.52%
47) 2-Hexanone-d5	8.13	63	132874	75.30	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	75.30%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	283781	41.47	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	82.94%
64) 1,2-Dichlorobenzene-d4	11.67	152	251233	50.59	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.18%


Target Compounds					Ovalue
13) Acetone	2.18	43	6121	1.634 ug/L	78


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121019\
Data File : VV013979.D
Acq On : 10 Dec 2019 11:43
Operator : SY/MD
Sample : K6170-11
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Quant Time: Dec 11 00:59:55 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 11 00:25:42 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.634 ug/L

RT: 2.18 min Scan# 340

Delta R.T. 0.00 min

Lab File: VV013979.D

Acq: 10 Dec 2019 11:43

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Tot Ion: 43 Resp: 6121

Ion Ratio Lower Upper

43 100

58 42.5 0.0 60.8

