

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121019\
 Data File : VV013980.D
 Acq On : 10 Dec 2019 12:08
 Operator : SY/MD
 Sample : K6148-08
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK01

Quant Time: Dec 11 01:04:11 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Dec 11 00:25:42 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	644333	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	613169	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	258057	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	169499	45.48	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.96%
7) Chloroethane-d5	1.57	69	194385	49.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	99.94%
11) 1,1-Dichloroethene-d2	2.13	63	283998	34.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.92%
21) 2-Butanone-d5	3.92	46	248196	94.62	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.62%
24) Chloroform-d	4.39	84	343365	43.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.76%
26) 1,2-Dichloroethane-d4	5.07	65	220264	44.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.84%
32) Benzene-d6	5.09	84	697877	43.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.84%
36) 1,2-Dichloropropane-d6	6.11	67	209513	43.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	87.86%
41) Toluene-d8	7.35	98	578633	39.95	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	79.90%#
43) trans-1,3-Dichloropropene-	7.66	79	89857	38.72	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.44%
47) 2-Hexanone-d5	8.13	63	131146	73.64	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	73.64%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	278792	40.37	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	80.74%
64) 1,2-Dichlorobenzene-d4	11.67	152	245644	48.47	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.94%


Target Compounds					Ovalue
13) Acetone	2.18	43	7083	1.843 ug/L	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121019\
Data File : VV013980.D
Acq On : 10 Dec 2019 12:08
Operator : SY/MD
Sample : K6148-08
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Quant Time: Dec 11 01:04:11 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 11 00:25:42 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.843 ug/L

RT: 2.18 min Scan# 340

Delta R.T. 0.00 min

Lab File: VV013980.D

Acq: 10 Dec 2019 12:08

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Tot Ion: 43 Resp: 7083

Ion Ratio Lower Upper

43 100

58 36.7 0.0 60.8

