

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121020\
 Data File : VV019515.D
 Acq On : 10 Dec 2020 17:28
 Operator : SY/MD
 Sample : VV1210WBL01
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK98

Quant Time: Dec 11 02:50:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 11 02:38:22 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	725358	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	669992	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	315980	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	258571	49.71	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	99.42%
7) Chloroethane-d5	1.57	69	206679	50.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.76%
11) 1,1-Dichloroethene-d2	2.11	63	369730	38.30	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.60%
21) 2-Butanone-d5	3.89	46	301714	106.72	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.72%
24) Chloroform-d	4.35	84	459011	48.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.94%
26) 1,2-Dichloroethane-d4	5.04	65	315502	51.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.00%
32) Benzene-d6	5.05	84	915458	51.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.46%
36) 1,2-Dichloropropane-d6	6.07	67	288831	51.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.20%
41) Toluene-d8	7.32	98	823963	51.21	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.42%
43) trans-1,3-Dichloropropene-	7.62	79	157470	49.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	98.92%
47) 2-Hexanone-d5	8.09	63	233439	106.26	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.26%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	379577	50.13	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.26%
64) 1,2-Dichlorobenzene-d4	11.63	152	303096	51.31	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.62%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121020\
Data File : VV019515.D
Acq On : 10 Dec 2020 17:28
Operator : SY/MD
Sample : VV1210WBL01
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK98

Quant Time: Dec 11 02:50:35 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 11 02:38:22 2020
Response via : Initial Calibration

