

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121020\
 Data File : VV019533.D
 Acq On : 11 Dec 2020 00:39
 Operator : SY/MD
 Sample : L4997-19
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AR5

Quant Time: Dec 11 04:29:42 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 11 02:38:22 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	677376	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	623866	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	292326	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	199059	40.98	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	81.96%
7) Chloroethane-d5	1.57	69	170563	44.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.04%
11) 1,1-Dichloroethene-d2	2.11	63	307061	34.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.12%
21) 2-Butanone-d5	3.90	46	265103	100.41	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.41%
24) Chloroform-d	4.35	84	399238	45.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.22%
26) 1,2-Dichloroethane-d4	5.04	65	283916	49.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.26%
32) Benzene-d6	5.05	84	803587	48.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.60%
36) 1,2-Dichloropropane-d6	6.07	67	256312	49.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.36%
41) Toluene-d8	7.32	98	719027	48.00	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.00%
43) trans-1,3-Dichloropropene-	7.62	79	136417	46.01	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.02%
47) 2-Hexanone-d5	8.09	63	202406	98.95	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.95%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	340063	48.24	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.48%
64) 1,2-Dichlorobenzene-d4	11.63	152	264714	48.44	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.88%


Target Compounds					Ovalue
34) Trichloroethene	5.93	95	8934	1.855 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121020\
Data File : VV019533.D
Acq On : 11 Dec 2020 00:39
Operator : SY/MD
Sample : L4997-19
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AR5

Quant Time: Dec 11 04:29:42 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 11 02:38:22 2020
Response via : Initial Calibration





#34

Trichloroethene

Concen: 1.855 ug/L

RT: 5.93 min Scan# 1504

Delta R.T. 0.01 min

Lab File: VV019533.D


Acq: 11 Dec 2020 00:39

Instrument :

MSVOA_V

ClientSampleId :

C0AR5



Tot Ion: 95 Resp: 8934

Ion Ratio Lower Upper

95 100

97 70.6 44.4 82.4

132 84.3 64.3 119.3

130 89.9 67.8 125.8

Abundance Ion 95.00 (94.70 to 95.70): VV0

Ion 97.00 (96.70 to 97.70): VV0

Ion 132.00 (131.70 to 132.70): V

Ion 130.00 (129.70 to 130.70): V

