

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121020\
 Data File : VV019533.D
 Acq On : 11 Dec 2020 00:39
 Operator : SY/MD
 Sample : L4997-19
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AR5

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.309	62	68	88	rVB	329488	334084	13.56%	1.739%
2	1.569	143	149	160	rVB	269963	305662	12.41%	1.591%
3	2.113	309	318	359	rVB	569823	923044	37.47%	4.805%
4	2.807	532	534	537	rBV2	1040	622	0.03%	0.003%
5	3.013	596	598	600	rBV3	721	360	0.01%	0.002%
6	3.052	605	610	613	rBV5	1005	1041	0.04%	0.005%
7	3.161	642	644	647	rVB3	568	277	0.01%	0.001%
8	3.180	647	650	655	rBV5	938	691	0.03%	0.004%
9	3.309	687	690	692	rBV3	619	401	0.02%	0.002%
10	3.344	699	701	702	rBV2	567	255	0.01%	0.001%
11	3.463	734	738	741	rBV4	600	421	0.02%	0.002%
12	3.537	759	761	762	rBV2	614	213	0.01%	0.001%
13	3.579	769	774	775	rBV3	776	555	0.02%	0.003%
14	3.634	787	791	794	rBV6	818	632	0.03%	0.003%
15	3.698	806	811	812	rBV4	727	657	0.03%	0.003%
16	3.801	841	843	845	rVB2	335	156	0.01%	0.001%
17	3.817	845	848	851	rBV3	974	789	0.03%	0.004%
18	3.900	862	874	912	rBV	137030	464859	18.87%	2.420%
19	4.354	997	1015	1040	rBV	392318	977794	39.69%	5.090%
20	4.830	1160	1163	1165	rBV3	922	564	0.02%	0.003%
21	4.888	1180	1181	1183	rVB3	409	129	0.01%	0.001%
22	4.916	1188	1190	1192	rBV2	729	323	0.01%	0.002%
23	4.939	1192	1197	1200	rBV4	733	741	0.03%	0.004%
24	4.965	1203	1205	1209	rVB5	505	366	0.01%	0.002%
25	4.984	1209	1211	1212	rBV2	372	206	0.01%	0.001%
26	5.051	1214	1232	1261	rBV2	962695	2463335	100.00%	12.824%
27	5.621	1397	1409	1448	rBV	834225	1649868	66.98%	8.589%
28	5.923	1490	1503	1519	rBV7	26434	62147	2.52%	0.324%
29	6.074	1535	1550	1578	rBV	550505	1131277	45.92%	5.889%
30	6.415	1654	1656	1658	rBV3	684	245	0.01%	0.001%
31	6.447	1664	1666	1670	rBV2	798	568	0.02%	0.003%
32	6.482	1675	1677	1678	rBV2	689	301	0.01%	0.002%
33	6.527	1689	1691	1693	rBV2	500	198	0.01%	0.001%
34	6.572	1703	1705	1709	rBV5	567	302	0.01%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121020\
 Data File : VV019533.D
 Acq On : 11 Dec 2020 00:39
 Operator : SY/MD
 Sample : L4997-19
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AR5

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Title : VOC Analysis

35	6.624	1719	1721	1724	rBV4	862	429	0.02%	0.002%
36	6.640	1724	1726	1727	rBV	1168	415	0.02%	0.002%
37	6.765	1761	1765	1766	rBV3	414	324	0.01%	0.002%
38	6.878	1797	1800	1802	rBV4	668	433	0.02%	0.002%
39	6.920	1809	1813	1815	rBV5	767	459	0.02%	0.002%
40	6.936	1815	1818	1821	rVB4	1052	627	0.03%	0.003%
41	6.990	1822	1835	1860	rBV	344702	628940	25.53%	3.274%
42	7.322	1925	1938	1957	rBV	1137243	1969046	79.93%	10.251%
43	7.624	2022	2032	2061	rBV	242623	426574	17.32%	2.221%
44	7.987	2142	2145	2147	rBV3	1225	861	0.03%	0.004%
45	8.026	2154	2157	2160	rBV4	733	555	0.02%	0.003%
46	8.090	2167	2177	2205	rBV	580275	998398	40.53%	5.198%
47	8.624	2340	2343	2345	rBV3	730	497	0.02%	0.003%
48	8.640	2345	2348	2350	rBV3	971	549	0.02%	0.003%
49	8.653	2350	2352	2353	rBV2	514	208	0.01%	0.001%
50	8.701	2366	2367	2371	rVB3	561	271	0.01%	0.001%
51	8.855	2404	2415	2445	rBV	1228940	1988266	80.71%	10.351%
52	9.190	2517	2519	2523	rVB4	1129	553	0.02%	0.003%
53	9.212	2523	2526	2527	rBV2	526	339	0.01%	0.002%
54	9.254	2536	2539	2540	rBV3	677	392	0.02%	0.002%
55	9.286	2548	2549	2552	rBV3	728	350	0.01%	0.002%
56	9.363	2569	2573	2574	rBV2	646	469	0.02%	0.002%
57	9.421	2588	2591	2593	rBV3	744	421	0.02%	0.002%
58	9.440	2593	2597	2599	rBV4	553	489	0.02%	0.003%
59	9.514	2617	2620	2621	rBV3	726	415	0.02%	0.002%
60	9.585	2639	2642	2643	rBV2	435	215	0.01%	0.001%
61	9.714	2676	2682	2684	rBV5	464	387	0.02%	0.002%
62	9.727	2684	2686	2690	rBV4	420	335	0.01%	0.002%
63	9.807	2707	2711	2714	rBV6	711	531	0.02%	0.003%
64	9.829	2714	2718	2719	rBV2	535	430	0.02%	0.002%
65	9.884	2732	2735	2736	rBV3	1146	580	0.02%	0.003%
66	9.939	2749	2752	2755	rVB5	753	529	0.02%	0.003%
67	9.958	2755	2758	2761	rBV4	673	607	0.02%	0.003%
68	10.009	2771	2774	2779	rBV5	1092	874	0.04%	0.005%
69	10.045	2779	2785	2786	rBV3	796	752	0.03%	0.004%
70	10.090	2797	2799	2801	rBV3	573	348	0.01%	0.002%
71	10.138	2812	2814	2817	rBV3	602	378	0.02%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121020\
 Data File : VV019533.D
 Acq On : 11 Dec 2020 00:39
 Operator : SY/MD
 Sample : L4997-19
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AR5

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Title : VOC Analysis

72	10.222	2827	2840	2862	rBV	723706	1140002	46.28%	5.935%
73	10.360	2881	2883	2886	rBV3	666	503	0.02%	0.003%
74	10.386	2886	2891	2897	rVV6	1913	2536	0.10%	0.013%
75	10.505	2926	2928	2929	rBV	424	141	0.01%	0.001%
76	10.563	2944	2946	2952	rVB4	700	590	0.02%	0.003%
77	10.624	2962	2965	2967	rBV4	803	572	0.02%	0.003%
78	10.746	3000	3003	3004	rBV2	677	439	0.02%	0.002%
79	10.817	3021	3025	3028	rBV4	589	560	0.02%	0.003%
80	10.836	3029	3031	3033	rVB3	581	234	0.01%	0.001%
81	10.977	3073	3075	3078	rVB3	593	252	0.01%	0.001%
82	10.993	3078	3080	3083	rBV3	729	396	0.02%	0.002%
83	11.045	3094	3096	3100	rBV3	648	462	0.02%	0.002%
84	11.167	3130	3134	3138	rBV5	1040	1023	0.04%	0.005%
85	11.254	3148	3161	3184	rBV	1254667	1930422	78.37%	10.050%
86	11.630	3265	3278	3295	rBV	1132865	1777225	72.15%	9.252%
87	11.817	3334	3336	3339	rVB3	857	530	0.02%	0.003%
88	11.839	3340	3343	3346	rBV3	936	510	0.02%	0.003%
89	11.855	3346	3348	3350	rBV3	668	331	0.01%	0.002%
90	12.189	3450	3452	3454	rBV3	829	374	0.02%	0.002%
91	12.225	3460	3463	3464	rBV3	565	360	0.01%	0.002%
92	12.450	3529	3533	3537	rBV6	902	999	0.04%	0.005%
93	12.527	3555	3557	3560	rBV3	691	514	0.02%	0.003%
94	12.627	3585	3588	3589	rBV2	548	345	0.01%	0.002%
95	13.810	3954	3956	3957	rBV	905	344	0.01%	0.002%


Sum of corrected areas: 19208993

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121020\
Data File : VV019533.D
Acq On : 11 Dec 2020 00:39
Operator : SY/MD
Sample : L4997-19
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AR5

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV121020\
Data File : VV019533.D
Acq On : 11 Dec 2020 00:39
Operator : SY/MD
Sample : L4997-19
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AR5

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV121020\
Data File : VV019533.D
Acq On : 11 Dec 2020 00:39
Operator : SY/MD
Sample : L4997-19
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AR5

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc