

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW121021\
 Data File : VW023913.D
 Acq On : 11 Dec 2021 02:15
 Operator : SY/MD
 Sample : M5025-10
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0D05

Quant Time: Dec 11 06:05:19 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR121021WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Dec 11 04:33:17 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	98789	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	105347	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	52112	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	25802	4.858	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	97.200%	
7) Chloroethane-d5	1.568	69	22908	5.170	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	103.400%	
11) 1,1-Dichloroethene-d2	2.108	63	33807	3.261	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	65.200%	
20) 2-Butanone-d5	3.909	46	45487	43.840	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	87.680%	
24) Chloroform-d	4.349	84	61426	5.106	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	102.200%	
26) 1,2-Dichloroethane-d4	5.034	65	31338	5.595	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	112.000%	
32) Benzene-d6	5.053	84	102562	4.915	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	98.400%	
36) 1,2-Dichloropropane-d6	6.069	67	32896	5.226	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	104.600%	
41) Toluene-d8	7.317	98	80650	4.293	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	85.800%	
43) trans-1,3-Dichloroprop...	7.625	79	11852	4.538	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	90.800%	
46) 2-Hexanone-d5	8.092	63	58059	49.661	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	99.320%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	25961	4.971	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	99.400%	
66) 1,2-Dichlorobenzene-d4	11.625	152	36595	5.257	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	105.200%	
Target Compounds					Qvalue	
25) Chloroform	4.378	83	6868	0.469	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121021\
Data File : VV023913.D
Acq On : 11 Dec 2021 02:15
Operator : SY/MD
Sample : M5025-10
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0D05

Quant Time: Dec 11 06:05:19 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR121021WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Dec 11 04:33:17 2021
Response via : Initial Calibration

